



“A beacon of hope”: A qualitative study on migrants’ mental health needs and community-based organisations’ responses during the COVID-19 pandemic in Antwerp, Belgium

Jil Molenaar^{a,b}, Hannah Robinson^{b,c}, Lore Van Praag^{c,d,*}

^a Reproductive and Maternal Health Research Group, Public Health Department, Institute of Tropical Medicine Antwerp, Sint-Rochusstraat 43, 2000, Antwerpen, Belgium

^b Family Medicine and Population Health (FAMPOP), Faculty of Medical Sciences, University of Antwerp, Sint-Rochusstraat 43, 2000, Antwerpen, Belgium

^c CRESC, University of Antwerp, Prinsstraat, 13 2000, Antwerpen, Belgium

^d Erasmus University Rotterdam, Erasmus School of Social and Behavioral Sciences, Burgemeester Oudlaan 50 3062PA Rotterdam, the Netherlands

ARTICLE INFO

Keywords:

Mental health
Social inequality
Migration
COVID-19 pandemic
Community health

ABSTRACT

The COVID-19 pandemic has highlighted the need for structurally informed mental health services that are sensitive to social inequalities and cultural differences. Community-level services and organisations are often referred to as having the potential to play a key role in providing such services to migrants, yet not many studies have documented how these types of services have been experienced during the pandemic. The objective of our case study in Antwerp’s districts of Borgerhout and Antwerpen-Noord (Belgium) was to explore how community-level responses to the mental health impact of the COVID-19 crisis were organised and experienced by first-generation migrants and members of community-level organisations. Our findings highlight the complex drivers of migrants’ mental health and the unique value and indispensability of local-level services and organisations in providing mental-health related services, particularly in a crisis context like the COVID-19 pandemic. Qualities that emerged to be particularly important included organisations’ awareness of local needs; their flexible nature which allows them to address bottlenecks and fill gaps left by other services; their capacity to respond holistically to a broad spectrum of needs; their ability to offer culturally sensitive care and support; and their physical accessibility. Our findings also demonstrate the fragility and fragmentation of these local-level services and initiatives. In the face of the COVID-19 crisis, this related to serious challenges to the necessary physical accessibility of organisations’ services; services and initiatives becoming overloaded; and widespread fragmentation and lack of oversight of the available services forming a barrier for both service users and providers.

1. Background

The COVID-19 crisis has had far-reaching direct and indirect consequences, including significant impacts on people’s mental health. In the first few months of the COVID-19 pandemic, there were predictions that the pandemic would create a ‘tsunami’ of mental health problems (Roxby, 2020). Our current insight into the mental health impact of the COVID-19 pandemic is more nuanced. Rather than resembling a tsunami – a sweeping force that overpowers everything in its wake – the mental health impact of the COVID-19 pandemic can perhaps be more appropriately characterised as a series of localised floods. It is well-recognized that people who are historically disadvantaged in society, such as ethnic minorities, migrants, and low-income groups, are typically among the

people most affected by the immediate and long-term mental health shocks caused by crises, as appeared to be the case in the COVID-19 pandemic (Allwood & Bell, 2020; Purtle, 2012; Spiritus-Beerden et al., 2021). In this study, we interviewed migrants living in Borgerhout and Antwerpen-Noord (Antwerp, Belgium) and professionals working in the local psycho-social care sector to explore how community-based initiatives have helped mitigate the negative mental health impacts of the COVID-19 pandemic.

The COVID-19 pandemic has highlighted the complex social determinants of mental health. Building on Whitehead and Dahlgren’s (1991) model of the social determinants of health, mental health status is understood to be determined by an interplay of individual and environmental factors. These include general economic circumstances;

* Corresponding author.

E-mail addresses: jil.molenaar@uantwerpen.be (J. Molenaar), Hannah.robinson@uantwerpen.be (H. Robinson), vanpraag@essb.eur.nl (L. Van Praag).

<https://doi.org/10.1016/j.ssmqr.2024.100402>

Received 4 July 2023; Received in revised form 18 December 2023; Accepted 7 February 2024

Available online 8 February 2024

2667-3215/© 2024 The Authors. Published by Elsevier Ltd. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).

living and working conditions; social and community networks; as well as individual lifestyle and risk factors. This social gradient shapes not just the risk of poor mental health, but also people's access to mental health services and other coping strategies (Alarcão et al., 2022; Morse & Dell, 2021). An understanding of the complex social determinants of mental health helps explain why some groups in society, such as migrants, faced a disproportionate mental health impact during the COVID-19 crisis (Alarcão et al., 2022).

Specific drivers of the unequal burden of mental health problems linked to COVID-19 include the gendered distribution of domestic responsibilities during lockdown periods, the unequal economic repercussions of the crisis, and the overrepresentation of migrants and ethnic minority groups in stressful 'frontline' professions (Allwood & Bell, 2020; Gavin et al., 2020; Molenaar & Van Praag, 2022). For many people who were already marginalized in various ways prior to the pandemic, the pandemic intensified the precariousness of maintaining good mental health. Furthermore, it worsened difficulties in accessing appropriate support (Allwood & Bell, 2020), which was for instance visible in the growing waiting lists for specialised mental health services.

Particularly for migrants and ethnic minorities, community-level organisations and initiatives are often described as having the potential to offer structurally informed mental health services that are sensitive to social inequalities and cultural differences (Baskin et al., 2021; Morse & Dell, 2021; Weich et al., 2004; Apers, Van Praag, Nöstlinger, & Agyemang, 2023b). A study on common mental disorders and ethnicity in England, for instance, suggested that mental health services provided by local-level actors that are embedded in communities increase trust among ethnic minority communities (Weich et al., 2004). Similarly, a scoping review of community-centred interventions for improving public mental health concluded that community-based interventions "have potential to influence the cultural and social factors that protect and promote mental health and well-being" (Baskin et al., 2021). Apers and colleagues (2023a, b) found that including migrant groups' explanatory models of mental health in the design and implementation of mental health services and care is highly important, which may be easier to achieve at the community level.

In the Belgian context, migrants may have an increased risk of mental health issues due to experiences of structural discrimination, trauma, social exclusion, and lower socio-economic status (Camille et al., 2023). A number of studies have documented the specific drivers of mental health impact among migrants during the COVID-19 pandemic in Belgium (Ddungu et al., 2023; Nöstlinger et al., 2022; Spiritus-Beerden et al., 2021; Vanhamel et al., 2020). These studies found that there was an additional need for support and mental health care among migrants, due to the disproportionate impact of governmental control measures, and the increased stigmatisation and experiences of racial and ethnic discrimination. A series of explorative studies conducted among several migrant and minoritized communities in Antwerp during the first lockdown found that many migrant groups organised their own community responses to deal with the COVID-19 pandemic (Ddungu et al., 2023; Nöstlinger et al., 2022; Vanhamel et al., 2020). For instance, bottom-up initiatives in response to the crisis among the sub-Saharan African community in Antwerp included translation of public health messaging, food distribution, and online spiritual support (Ddungu et al., 2023). Members of the Orthodox-Jewish community in Antwerp also experienced a high degree of internal solidarity that provided them with both material and mental support (Vanhamel et al., 2020). Although these findings highlight the mental health impact of the COVID-19 pandemic and coping strategies that were employed by migrant communities in Antwerp, limited research has focused on the potential value and shortcomings of community-based services and interventions responding to migrant communities' mental health needs in the COVID-19 context.

This case study addressed this research gap, by exploring how community-based organisations have helped mitigate the negative mental health impact of the COVID-19 pandemic among migrants in

Borgerhout and Antwerpen-Noord. More specifically, our aims were to explore the complex drivers of migrants' mental health needs during the COVID-19 pandemic; investigate which qualities and characteristics allow local-level organisations and initiatives to respond to these needs; and shed light on the main challenges faced by these local-level actors.

2. Methodology

2.1. Study setting

Our case study was carried out in the city of Antwerp, Belgium. Migration to Belgium is mainly characterised by labour market migration coming from Morocco and Turkey, which started after WWII and continued through family reunification over the following decades. More recent migrant flows arrived in Belgium from Eastern Europe after the unification of the European labour market, as well as from countries such as Syria, Iraq, DR Congo and Afghanistan due to political reasons (Myria, 2023).

Located in Dutch-speaking Flanders, Antwerp is the capital of the Antwerp province and had a little over half a million (539,000) inhabitants in 2023. Antwerp's residents have diverse backgrounds, and this diversity is particularly pronounced in Borgerhout and Antwerpen-Noord, as they are arrival districts for many migrants. A quarter of Borgerhout's population (25%) consists of first-generation migrants, while in Antwerpen-Noord, this figure is even higher at 39%. In 2023, a notable percentage of residents in Borgerhout (30%) and Antwerpen-Noord (16%) have a North African migration background, including the origin of their parents. There are also significant numbers of first or second-generation West Asian and Eastern European migrants in both neighbourhoods. Compared to the average yearly net income per resident (€17,160) in the City of Antwerp in 2020, yearly incomes in Borgerhout were €2376 lower, and €4674 lower in Antwerpen-Noord (Stad in Cijfers, 2023).

The organisation of mental health care is rather complex in Belgium, as hospital-based psychiatry services are organised and funded at the federal level, while other types of mental health care are decentralised. This leads to a fragmentation in service provision and makes the system more challenging to access and navigate for people that are unfamiliar with its organisation (Healthy Belgium, 2023). As collecting information on ethnicity or migration status is considered sensitive and not routinely done in the Belgian health system, there is limited information on the extent to which migrants' needs may or may not be met by formal mental health services (Duveau et al., 2023).

2.2. Study design

This study was part of the European Horizon 2020 project COVIFORM researching the impact of COVID-19 on vulnerable populations in 11 different countries. This qualitative case study engages with members of migrant communities themselves, as well as with local (mental) health professionals, social workers, and representatives from local Civil Society Organisations (CSOs) and other relevant community-level organisations and initiatives. The first stage of the case study consisted of exploratory expert interviews with $n = 13$ professionals, while the second stage involved $n = 19$ in-depth qualitative interviews with first-generation migrants living in Borgerhout or Antwerpen-Noord who arrived in Belgium at least 5 years ago (Table 1). A focus on first-generation migrants was chosen because they face unique challenges in relation to integration and adaptation in a new context. Including only migrants who had arrived at least five years ago meant that participants could reflect retrospectively on the impact of the COVID-19 pandemic on their life in Belgium.

2.2.1. Recruitment

For the first stage of the case study, we pursued convenience sampling by compiling a list of relevant organisations and services in

Table 1
Participant characteristics migrants and local psycho-social care professionals.

Characteristics	Migrants	Psycho-social care professionals
Number of participants	19	13
Countries of birth	Afghanistan (1) DR Congo (1) El Salvador (1) India (1) Indonesia (1) Morocco (5) Philippines (1) Poland (1) Russia (1) Somalia (1) Sri Lanka (1) Syria (1) Turkey (1) Uzbekistan (1) Yemen (1)	Belgium (11) Morocco (1) Sri Lanka (1)
Age (years)		
18–30	4	1
31–40	5	4
41–50	5	3
51–60	3	3
61–70	2	1
Gender		
Male	9	4
Female	10	8

Borgerhout and Antwerpen-Noord through online searches and then contacting representatives of those organisations and services. Although most of the organisations and individuals we contacted work directly on mental health-related issues (e.g. psychologists and psycho-social care providers), some have a more indirect link to mental health service provision (e.g. a local community centre which offers a range of services and which has an in-house psychologist). We contacted organisations in the two districts who have migrant communities as (one of) their main target groups. Our convenience sample included organisations that received funding from the City of Antwerp in the context of the *Coronababbels* ('Corona chats') scheme, which were funds awarded to seven community organisations in Antwerp in 2021 to organize activities with the aim of providing psychosocial support, strengthening people's social networks, engaging in dialogue about these groups' concerns, and providing feedback signals to policymakers during the COVID-19 pandemic. The professional profiles of the experts included three functionaries of the municipality of Antwerp, a coordinator of a local community centre, and a coordinator of a local psycho-social care organisation branch. In addition, we interviewed three clinical psychologists and five professionals with training in psycho-social work or related fields whose expertise ranged from youth work to assisting undocumented migrants.

For the qualitative interviews with migrants, participants were recruited through organisations working with migrants in Borgerhout and Antwerpen-Noord, as well as via snowball sampling. Recruitment occurred first through local CSOs or NGOs that work with the target population and provide practical, psychological, or financial assistance. With permission from these organisations, the second author joined some of their activities (e.g., weekly women's groups and walk-in hours) and approached potential participants there. Spending time at the organisations helped build trust and rapport, and it was made clear to all potential interviewees that they could decline to participate without any negative consequences. Further recruitment strategies that were used included engaging with community health workers as gatekeepers, who were typically individuals that were well-trusted by members of the target communities. The majority of those interviewed were low-income migrants, although some residents interviewed held 'white collar jobs' with a higher income. Within the heterogeneous group of 'first-generation migrants in Borgerhout and Antwerpen-Noord', we aimed to include variation in terms of the length of stay in Belgium (providing it

was over five years), gender, age, and country of origin.

2.3. Data collection

In-depth interviews with professionals in the local psycho-social care sector were carried out in Dutch in May–July 2022. Interviews with migrants took place in June–November 2022 in Dutch or English, and four of the interviews were accompanied by a translator. The topic guide for expert interviews included questions on 1) the perceived impact of the COVID-19 crisis on the organisations' target population; 2) the impact of the COVID-19 crisis on the organisation's functioning and care provision; 3) formal and informal support and care-seeking strategies, as well as key barriers in accessing support; 4) perceived gaps in service provision; and 5) key lessons learned from the COVID-19 pandemic. The topic guide for migrants included questions on 1) how the pandemic affected their mental health and overall well-being, 2) the strategies employed to handle the challenges, 3) the use of organisations or support systems for assistance, and 4) their overall perspectives on mental health.

Out of the expert interviews, nine interviews took place privately at respondents' workplaces, and the remaining four interviews were done virtually using Microsoft Teams. Interviews with migrants were conducted in CSO spaces or in cafes in the respondent's neighbourhood, which helped facilitate their willingness to talk openly. Interviews were audio-recorded and transcribed shortly following the interviews. The duration of interviews ranged from 20 to 95 min each. Interviews were conducted by the first and second author (JM and HR), who are both young, white, female researchers with a university education. Both have a Western-European background and were not born in Belgium, but currently live in Borgerhout. Interview transcripts were translated from Dutch to English by JM and HR.

2.4. Data analysis

Reflexive thematic analysis of the transcripts was undertaken by JM and HR (Braun & Clarke, 2021). An initial stage of analysis involved open coding of transcripts to identify preliminary themes and sub-themes, which happened separately for the migrant and expert interviews. A shared codebook was then developed which was informed by the core questions of the two topic guides, and which placed particular emphasis on identifying instances where findings from the two groups of participants enriched each other. This codebook was used to re-code all interviews in NVivo, with codes being refined and renamed along the course of coding. Our analysis was informed by a conceptualisation of mental health as being shaped by complex social determinants and was undoubtedly influenced by the authors' own lived experiences, positionality, and contextual understanding of the study setting. Discussions within the study team helped refine the codebook and shaped the selection of data fragments presented in the write-up. Some quotations were revised to remove any pauses or repetitions, denoted by [...], provided it would not alter meaning.

2.4.1. Ethical considerations

Written consent was obtained from all participants. Researchers orally explained the goals of the study and provided an information sheet. Participation was voluntary and participants were free to withdraw their participation at any time. To protect confidentiality, participants are only described in this paper in terms of their gender and country of origin (for migrant interviews) or by a generic description of their professional position (for professionals in the psycho-social care sector). Ethical approval was granted for this study by Ethics Committee of the Social Sciences and Humanities of the University of Antwerp (SHW_21_93).

3. Findings

The interviews provided rich accounts of the diverse and multifaceted impact the COVID-19 crisis has had on migrants in Borgerhout and Antwerpen-Noord, as well as on the working realities of the professionals in the local psycho-social care sector. We present our findings in three sections. First, we summarise the **severe impact of the COVID-19 pandemic** among migrants, to understand how mental health was inextricably interlinked with broader hardship and precarity across life domains. Second, we discuss how the interviews are testament to the **unique value and indispensability** of local-level services and organisations in providing mental-health related services, particularly in a crisis context like the COVID-19 pandemic. Qualities and characteristics of local-level organisations and initiatives that emerged to be particularly important included their awareness of local needs; their flexible nature which allows them to address bottlenecks and fill gaps left by other services; their capacity to respond to a broad spectrum of needs; their ability to offer culturally sensitive care and support; and their physical accessibility. Third, we discuss the **fragility and fragmentation** of these local-level services and initiatives. In the face of the COVID-19 crisis, this related to serious challenges to the necessary physical accessibility of organisations' services; services and initiatives becoming overloaded; and lack of oversight of the available services forming a real barrier for both service users and providers.

3.1. Complex drivers of mental health impact

Looking back on the years following the outbreak of the pandemic, the respondents note how the mental health impact of the COVID-19 crisis has been heterogeneous yet far-reaching. Key drivers of poor mental health that emerged from the interviews included social isolation and loneliness; health concerns related to the COVID-19 virus; working conditions; financial hardship; housing and the built environment; and increasing digitisation related to COVID-19 measures and restrictions.

The interviews highlighted that a key driver of poor mental health among migrants during the pandemic was social isolation. Some migrants in particular were severely impacted by the social restrictions associated with the pandemic, such as those who lived alone or far from their families, were unable to access online support, and faced language barriers. For many migrants, efforts to integrate and find their place in Belgium were halted by the pandemic:

"It is hard to learn a language when you live alone and have to stay at home every day, not talking to other people, especially as I have no internet at home and no laptop. Then I started drinking alcohol. I like to talk to people. Not stay at home. I have problems if I stay at home." (man, India)

Since many first-generation migrants typically have more limited support systems and networks, closure of childcare facilities and other support organisations also disproportionately impacted them and this created a lot of stress and anxiety. A woman from Somalia explained:

"I was home alone with my sons. I had nothing to do, I couldn't go outside. I thought I was really going to die. I thought, no I have two kids. It was so hard, 2020, 2021. I was always crying. I'm going to die, I thought. And then what are my kids going to do?" (woman, Somalia)

In addition to an exacerbation of experiences of loneliness and isolation, the impact of COVID-19 on employment was also a key driver of poor mental health. Some of the interviewed migrants were laid off as a result of the pandemic, while others' search for work was made more difficult because of the economic consequences of the pandemic. An interviewee who used to work in a restaurant explained that she was not eligible for government compensation when the restaurant closed: *"I could not get money because I worked 'in interim', it was a day contract"* (woman, Uzbekistan). The financial impact of the COVID-19 crisis was even more challenging for undocumented migrants without papers, who

cannot work legally or access unemployment benefits. Unemployment caused financial worries for those interviewed, and many migrants also described lacking structure, routine and purpose, which impacted negatively on their mental health. Consequently, due to people's own difficulties, it was sometimes more difficult to support people in one's near social circles, as illustrated by this quote:

"I have my own problems with my papers, my health ... everything. [...] I will speak with you and listen a few times, but if it is constant, then no. I don't want it to become my own problem." (man, Morocco)

Ability to cope with the impact of the COVID-19 crisis was also challenged by migrants' living situation and the built environment. For many respondents living in cramped housing, public spaces such as parks are particularly important: *"Normally after school we can go to the park with the kids for basketball together, cycling, soccer. But then everything stopped"* (man, Afghanistan). Conversely, for those interviewed who lived in a bigger house, had a garden or close access to a park, expressed that these factors significantly contributed to their mental well-being.

Although some of the mental health drivers of migrants were similar to those experienced pre-pandemic, access to resources to help deal with these problems was severely hampered by the COVID-19 crisis. One issue which was frequently mentioned related to difficulties caused by increased digitalisation from COVID-19 and the closure of physical spaces. For parents with children studying from home, accessing the internet and providing equipment was a problem. In addition, making appointments online was very difficult for some migrants with limited language or computer skills:

"I am bad with computers. To make appointments is difficult when everything is online. There were no more appointments during corona, I couldn't come here [to local wellbeing organisation]. It was very difficult." (woman, Somalia)

It should be noted that for some migrants, the mental health impact of the pandemic seemed minor in comparison to other past or current adversities. For example, one interviewee remarked that *"for me, corona was small"* and expressed a sense of theological fatalism which allowed her to maintain a positive outlook and be resilient in the face of both pre-existing difficulties and the added stress of the pandemic:

"In our faith, we say we have an end: you, me, everyone has an end. We don't know when and we don't know from what. Maybe someone cancer, maybe someone because of corona, maybe someone from an accident. So, if you know this, then you live your life. You can live a happy ten days. Or if you have ten years, live ten years of a happy life." (woman, Morocco)

In short, many structural drivers of mental health problems were exacerbated during the COVID-19 pandemic. Increased isolation, combined with stressors related to work, finances, and caring responsibilities, negatively impacted respondents' mental health. In addition, the physical spaces and organisations that could provide assistance were often closed or more difficult to reach.

3.2. Unique value and indispensability of community-based organisations and initiatives

Our case study also revealed the importance of support from community-based organisations working directly with migrants. This related to organisations' close ties with their target groups; their accessibility; their capacity to respond to a broad spectrum of needs; their flexible nature; and their focus on offering culturally sensitive support.

Firstly, the interviews highlighted that community-level actors are **knowledgeable about the direct and indirect effects** of the COVID-19 crisis on their target groups and have a thorough understanding of the various needs that have emerged as a consequence. For example, a social worker noted the increased need for psychological support immediately following the outbreak of the COVID-19 pandemic in 2020: *"We saw a*

large increase in psy-requests, a lot of people with stress complaints ... really an increase with the period before" (social worker working at a local CSO branch).

Professionals in the local psycho-social care sector agreed that their organisations' **accessibility** was key in allowing them to be closely in touch with the impact of the crisis. One interviewee pointed out that the array of mental health services on offer is complex, and that many people struggle to navigate the system: "when it comes to mental health problems, finding your way around that entire landscape is not easy. I think they come to us more easily, especially people with little financial means" (coordinator of a local psycho-social care organisation branch). Another respondent, who founded a local drop-in centre for young people and women, emphasized accessibility as a key strength of her organisation:

"For example, a woman might pass by who is not feeling well at the time, who has never come here before. But she sees a dynamic, so she comes in and says, 'what is it all about, what do you all do?' Then we start telling her, and all at once a very big story emerges. 'I've been through this and this, and I'm alone, and I don't feel so good and I don't know which organisations I can turn to.'" (psychologist and founder of a local CSO)

A shared sentiment among the respondents working in the psycho-social care sector was that a core strength of their organisations is their capacity to respond to a **broad spectrum of needs**. Many of the professionals interviewed take a coaching approach to mental-health related issues. Particularly in the COVID-19 crisis, when many support services became more difficult to access, respondents felt one of their key responsibilities was to link clients to support across different life domains. This includes not only professional services, but also people's personal networks:

"That is our vision, to try to activate people's own network. Can someone be approached, someone at school, a neighbour, or someone else? We work with people to see how support can be strengthened in different life domains." (psychologist working with children and families)

Helping people improve their psychological wellbeing was thus widely recognized as requiring an approach tailored to a person's unique situation and their social network. As such, migrants' resilience could be bolstered by promoting coping strategies and support already available to them. Respondents underline the psychosocial nature of their work, which frequently combines offering practical and therapeutic support. An interviewee explained:

"Yes, it really is psycho-social work, even with people who are not specifically looking for psychological support. People have a lot of baggage and have a need to talk [...], to just feel heard." (social worker at a local CSO branch)

Most of the community-level organisations had already been in existence for several years prior to the pandemic and had built up strong ties with the neighbourhood, which was a significant asset in the COVID-19 crisis situation. National and regional governments focused heavily on vulnerability in terms of physical health status, particularly in the early stages of the pandemic, yet professionals attuned with their local neighbourhood had a more nuanced understanding of which groups of migrants were particularly vulnerable. This included an understanding of gendered differences, such as the caring responsibilities shouldered predominantly by women, as well as the unique challenges faced by undocumented migrants in the neighbourhood. A respondent noted that "the government was busy with other things", and grassroot organisations were left to pull a lot of weight in working with people "who do not appear in government statistics, but who are actually there" (social worker at a local CSO branch) such as undocumented migrants and other marginalized groups.

Apart from their proximity and long-standing embeddedness in their locality, a unique value of community-level organisations is their relatively **flexible nature and ability to rapidly adapt** their services in response to changing needs. This quality turned out to be particularly

important in a crisis context, as it allowed organisations to address bottlenecks and fill gaps left by other services and governmental agencies. Particularly at the beginning of the pandemic, when many governmental services closed their front-offices, community-level organisations found themselves having to adapt the scope of their work. A psychologist and founder of a local CSO explains: "At that time, we were no longer just doing youth work, but we also became social services ... and we tried to deal with all the questions that came in as best we could". She feels that filling this gap was much needed:

"I think that with our open drop-in house, we really were a beacon of hope. People said: 'we can go there, we can talk, we can get help, at least they are physically open. We don't have to call or talk to them online, we can really go to them.' At the very beginning there was nothing open at all, but we gave them a bit of perspective." (psychologist and founder of a local CSO)

As many of the local-level organisations and initiatives are relatively small, it was easier for them to rapidly adjust their services to meet their target groups' needs. Several respondents remarked that the City of Antwerp government facilitated tailored responses through providing funding for a diverse array of psycho-social support measures through the *Coronababbels* ("Corona chats") scheme: "All kinds of organisations were given the chance to develop initiatives, for example around the theme of loneliness" (psychologist who established a CSO during the COVID-19 pandemic). Indeed, the *Coronababbels* funding scheme exemplified how grassroots level funding for psychosocial support interventions can facilitate the promotion of initiatives that share a common vision while adopting targeted approaches.

The interviews also highlight the importance of culturally sensitive support when dealing with the mental health impact of the COVID-19 pandemic. This includes awareness of the stigma surrounding mental health issues, which can impede support seeking. An interviewee pointed out that "many people are very ashamed of their situation" and might not seek social support from friends and family because "it always has to go well for you, it is not OK if it goes badly for you" (psychologist and founder of a local CSO). There was significant diversity in the type of care and support the interviewed migrants perceived as appropriate. Although many of the interviewed migrants conceptualised mental distress during the COVID-19 pandemic primarily as a normal reaction to difficult circumstances, rather than a distinct psychological condition requiring professional support, others did endorse biomedical labels for mental distress:

"If a friend was feeling depressed, I would recommend they speak to a specialist, a doctor. [...] Depression is a sickness. It is difficult to advise without knowing the causes, because there are many crises now. Are you depressed because of the pandemic? Why? Financial, less freedom? These problems also need to be addressed. I can't give general advice that would work for everyone." (man, Syria)

As highlighted by this quote, many migrants felt mental health issues were most appropriately tackled by understanding and addressing their underlying causes. Assisting with structural challenges could then also provide an opening to discuss mental health issues, regardless of how someone might label them. One of the professionals interviewed underlined that culturally sensitive support often requires moving away from "the Western model of how psychopathology works" (psychologist), and being open to the different ways in which people make sense of their mental health. Many community-level services represent the diversity of the neighbourhood, helping them to offer culturally sensitive care and support and overcome language barriers, as shown by this quote:

"There are many people here in Borgerhout who do not speak the language and who cannot find their way in the services on offer. People really seek us out, because we work in a culturally sensitive way. [...] We have a Ghanaian working with us, we have Belgian people working with us, we have Moroccan, Turkish people working with us, so we are actually very

diverse in our team. This means that we really reach the different target groups and can help them, because we are approachable, and we know the language.” (psychologist and founder of a local CSO)

Working with a multi-lingual team, sometimes including interpreters, was described as a key prerequisite for offering culturally sensitive services. Combined with organisations’ nuanced awareness of a broad spectrum of local needs and their flexible nature, this was considered a key strength of community-level initiatives.

3.3. Fragility and fragmentation

Community-level organisations and initiatives also faced challenges during the COVID-19 pandemic. Fragility and fragmentation were related to physical accessibility and digitalisation; services and initiatives becoming overloaded; and lack of oversight of the available services forming a real barrier for both service users and providers.

The interviews with community-based organisations highlighted how **physical accessibility** is an absolute must for these services to function and reach their target groups, yet the pandemic seriously challenged this. One issue which was frequently mentioned by migrant residents of Antwerpen-Noord and Borgerhout related to difficulties caused by **increased digitalisation** from COVID-19 and the closure of physical spaces:

“My [language] school was online, that is why I didn’t pass. Because sometimes my Wi-Fi works, sometimes it doesn’t work. This was a problem. [...] You always had to make an appointment. Everything was closed. To come here [local wellbeing organisation], became more difficult.” (man, Afghanistan)

A social worker explained how digitisation poses a big threshold particularly “for people who are vulnerable, who do not speak the language, or who are illiterate”. She notes that the digitalisation trend which accelerated during the COVID-19 pandemic now seems to continue:

“I can also see that the digitalisation of the COVID pandemic is now continuing, and a very large number of people simply fall by the wayside. They end up with social services or with a voluntary organisation that has to do it for them, because they cannot do it themselves.” (social worker at a local CSO branch)

Professional respondents described how particularly in the early stages of the pandemic, organisations encountered significant difficulties in remaining in touch with their target groups while respecting physical distancing rules. This caused frustration, since many did not consider digital communication through platforms like WhatsApp to be very effective. Indeed, a key take-away of the pandemic for many respondents is that face-to-face contact with their target groups is absolutely essential:

“What has become clear to me is that even when things are complicated, when there are restrictive measures, personal contact must be maintained. [...] The loss of personal contact has been very difficult for many people here, so the main challenge is to find ways to make personal contact possible, in any way possible.” (coordinator of local community centre)

The relatively small size of many local-level organisations and services also meant that they quickly became **overloaded**, especially when demand increased due to the COVID-19 pandemic impact. The closure or digitalisation of other (governmental) services put more pressure on community-level services that did remain open. In the face of a deluge of questions for help, which were frequently outside of organisations’ regular scope of work, many respondents described feeling overwhelmed. A social worker recalls:

“A lot of organisations and social services were closed, so we saw a very high demand. Organising access to healthcare is our organisation’s core business, but if a client says: ‘I have received a reminder from the bailiff and there will be additional costs if I don’t respond within fifteen days’,

then I’m not going to say: ‘It’s not my job to help you with that’. Of course I will take that on.” (social worker at a local CSO branch)

The quote above demonstrates how holistic support was not always officially part of organisations’ mission, which meant its provision depended on the personal commitment of professionals, sometimes at a personal cost. Professional respondents were acutely aware that they were unable to meet the needs of all the people who sought support, let alone those who did not reach their organisations. Indeed, many respondents expressed a sense of powerlessness to help their target groups tackle the underlying causes of mental health issues. They prioritize supporting people in the short term, which someone characterised as “an intermediate step, a bit of a fire-fighting exercise” (psychologist) but are often unable to offer the holistic long-term support they feel people require.

Finally, the interviews showed how **fragmentation and lack of oversight** of the available services is a real barrier for both service users and providers. Some respondents felt the COVID-19 crisis had boosted collaboration between different organisations working on similar issues:

“During COVID, because we were so limited in our possibilities, we asked each other for advice, we talked to each other more, we worked together more. That sounds very, very basic, but we did rely on each other more. Like: ‘it’s not going well here, can I refer this person to you?’ There was much more consultation.” (psychologist and founder of a local CSO)

Nonetheless, the consensus arising from the interviews was that significant fragmentation remains. A psychologist expressed how she sometimes refers to psychosocial support services that she knows, but that she feels it is hard to get a grasp of all the relevant services on offer:

“But the thing is, I don’t know exactly what’s out there. [...] For example, I recently referred a mother with postnatal depression to an organisation where I know they have Arabic-speaking staff, and she can go there with her baby to a support group and meet other mothers. So I thought that was good, but that was because I happened to have been there myself and I knew how it works.” (psychologist)

The need to build bridges and break down walls was a frequently expressed wish for the future. Respondents noted that when you aim to reach specific groups like migrant communities, a collaborative network of partners with local know-how is essential. There is a need for an increased focus on facilitators and building bridges, “because there are often walls and everyone just works within their own field, not looking beyond those walls” (coordinator of a local community centre).

Two of the respondents work for organisations that ‘share’ staff with different agencies in the social and health services. Although this allows these organisations to have an excellent local network and pursue a multi-sectoral approach, it also poses organisational challenges:

“So for example, they work in their home team for 9 hours and then another 9 hours with us. And there are people who get lost in that, they feel they can’t focus enough when they are working here and there. We’re still learning about how best to tackle that, it is a challenge.” (coordinator of local psycho-social care organisation branch)

The locally tailored nature of the work of many community-level organisations thus also has downsides, as it leads to a fragmented landscape which is difficult to navigate and poses human resource challenges. Although this issue predates the COVID-19 pandemic, this fragility was highlighted during the pandemic when the everyday working realities of professionals in the psycho-social care sector were heavily disrupted.

4. Discussion

This qualitative study explored the complex drivers of migrants’ mental health needs during the COVID-19 pandemic; the qualities and characteristics allow local-level organisations and initiatives to respond

to these needs; and the main challenges faced by these local-level actors. The findings from this study demonstrate how the mental health impact of the COVID-19 pandemic among migrants was particularly severe (Alarcão et al., 2022; Spiritus-Beerden et al., 2021), and underline it cannot be understood in isolation from the pandemic impact on other life domains. Key drivers of poor mental health that emerged from the interviews included social isolation and loneliness; health concerns related to the COVID-19 virus; working conditions; financial hardship; housing and the built environment; and increasing digitisation related to COVID-19 measures and restrictions. For people living in socially disadvantaged situations, mental distress typically resulted from a combination of pre-existing chronic stressors and acute pandemic-related stressors (Campo-Arias & Mendieta, 2021). Although many drivers of the mental health impact identified in this study are not specific to migrants, they were disproportionately felt. For example, employment-related stressors were more common among migrants who were precariously employed, rendering them more easily “dispensable” during the pandemic (e.g., Mengesha et al., 2022). In addition, our study highlighted how closure of childcare facilities and support organisations disproportionately impacted first-generation migrants, who typically have more limited support systems and networks. An intersectional perspective thus reveals that the experiences of migrants in the COVID-19 context were shaped by prevailing sociocultural and socio-economic systems (Gillespie et al., 2022; Molenaar & Van Praag, 2022). By concentrating on the neighbourhood level, we were able to investigate how these systemic factors are evident on a local scale, contributing to the varied needs of diverse migrant populations in Borgerhout and Antwerpen-Noord. For most of the migrants and professionals interviewed, a response limited to specialist mental health services does not suffice to address these needs. They emphasized the importance of a psycho-social lens to comprehensively address root causes at individual, interpersonal, community, and structural levels (Joshi, 2021).

Our findings show how the flexible nature of local-level initiatives allowed them to address bottlenecks and fill gaps left by other services during the pandemic, resonating with previous reports that grassroots-level actors often go the extra mile to ensure essential needs are met in a crisis context, surpassing the limitations imposed by legal restrictions and bureaucratic regulations (Brenner & Lok, 2022). Respondents in the psycho-social care sector emphasized the strength of their organisations in taking a coaching approach to mental health, with a key responsibility of connecting clients to support in various life domains and activating their own social networks where possible. Similarly, findings from a scoping review by Baskin et al. (2021) suggest ethnic minority populations might benefit from improved mental health through interventions aiming to mitigating social isolation by fostering peer-to-peer support and cultivating social networks. Several studies in the UK context have pointed to the importance of facilitating linkages to complementary or additional services for migrants and ethnic minorities, referred to as ‘signposting’ or ‘social prescribing’ (Gater et al., 2010; Lovell et al., 2014). As community-level organisations are typically more trusted by migrant groups, they are uniquely placed to foster awareness of mental health issues and facilitate access to mental health services (Baskin et al., 2021). Our findings additionally highlight the importance of culturally sensitive support when dealing with the mental health impact of the COVID-19 pandemic. This aligns with the results of a recent scoping review conducted by Apers and colleagues (2023b) on interventions aimed at enhancing the mental health and well-being of migrants and ethnic minority groups in Europe. This review noted the significance of establishing a culture-appropriate therapeutic alliance, which can be achieved through the involvement of professionals who share a similar background or native language proficiency with the target group (Apers, Van Praag, Nöstlinger, & Agyemang, 2023b). Culturally sensitive support should consider diverse perceptions of aetiology; be mindful of issues relating to stigma, racism, and power differentials; and may integrate elements of spirituality and religion (Gopalkrishnan, 2018).

Despite their unique strengths, community-level organisations and initiatives encountered various **challenges** during the COVID-19 pandemic. As documented elsewhere, COVID-19-related challenges faced by community-based organisations included restrictions on movement, closure of physical spaces, reduced capacity for in-person services, and limited face-to-face interactions due to social distancing measures (Liu et al., 2022; Riboldi et al., 2022). Considering the importance of physical accessibility and provision of tailored personal guidance, many organisations tried their best to stay operational. Yet due to their relatively small scale, many local-level organisations, and services in Borgerhout and Antwerpen-Noord experienced overload as demand surged in response to the impact of the COVID-19 pandemic. Indeed, embedding comprehensive mental health services at the community level can be challenging when small grassroots organisations are confronted with human resource and infrastructure limitations (Gewirtz & August 2008). Local psycho-social care professionals recognized the need to tackle structural hardships underlying mental health issues, yet their ability to alleviate these systemic drivers is constrained. While some professionals may extend their support beyond their official responsibilities, this approach is unlikely to be viable in the long term as it results in overload and burn-out.

Digitalisation emerged as a key challenge from interviews with both migrants and professionals. The interviews revealed evidence of accelerated digitalisation during the COVID-19 pandemic, resulting in exacerbated information inequality and the emergence of additional barriers to accessing suitable support. Indeed, the ‘digital divide’ undoubtedly widened during the COVID-19 pandemic (Cheshmehzangi et al., 2022). Our results are in line with findings from a qualitative study with refugees and support organisations conducted by Aigner and Bešić (2023) in Vienna, which underscored how language learning, job searching, and overall integration became more difficult during the pandemic as support systems were digitised and personal interaction was reduced. Isolation and lacking a sense of routine and purpose in turn impact negatively on mental health. As such, although digitalisation and the use of digital technology has been put forward as “efficient and cost-effective” to improve coverage of mental health services and support globally during the COVID-19 pandemic (Kola, 2020), our study found that migrants and professionals alike considered in-person interaction irreplaceable. Therefore, it is crucial to carefully evaluate the barriers that exist in implementing digital solutions and consider the potential for exacerbated social and information inequality.

Although flexibility and ability to develop tailored approaches at the grassroots level were a key asset of community-level organisations in times of crisis, our findings suggest that it also contributes to a fragmented landscape that is challenging to navigate and presents human resource difficulties. As noted by Kola (2020), the significant demands placed by the pandemic further strained an already fragile and fragmented mental health care system. Some degree of fragmentation is arguably unavoidable, as a one-size-fits all approach is unlikely to meet the diverse needs of various migrant and ethnic minority populations (Apers, Nöstlinger, & Van Praag, 2023a; Apers, Van Praag, Nöstlinger, & Agyemang, 2023b). Yet considering that individuals are more likely to experience delays in receiving appropriate mental health support when mental health care delivery systems become more complicated (Schneeberger & Huber, 2022), our study underlines the importance of striving to limit fragmentation and “knowing what’s out there” so that local care systems remain navigable.

We propose three recommendations based on the findings of this case study. Firstly, the findings suggest that physical accessibility of community-level (mental health) services must remain a priority, even as societal digitalisation accelerates. Second, our findings indicate that a holistic and culturally sensitive approach to community-based mental health services could be facilitated by training and employing more professionals who share a similar background and/or native language proficiency as migrants. Finally, we encourage active efforts to “build bridges” and improve collaborations between community-level

organisations, as well as with city governments. City governments have an important role to play in maintaining an overview of different organisations and stakeholders in the psycho-social care sector (e.g., through a publicly accessible database or directory), as well as facilitating cross-sectoral collaboration between organisations.

This case study had several limitations. Although the study started from a neighbourhood approach, it did not delve deeper into (informal) support mechanisms within migrant communities or the specific role of community health workers. Future research could focus on how community-based organisations tackle similar issues across distinct neighbourhoods or cities. Second, it should be noted that most migrant participants in our sample tended to be younger or middle-aged, with the oldest participants interviewed 65 years old. As age impacts both mental health complaints and help-seeking behaviour and older people were particularly vulnerable to suffer from both physical and mental health impact during the pandemic, it would have been beneficial to interview older migrants as well. Third, recruitment was predominantly through organisations in the studied districts, which meant migrants not reached by these organisations were less likely to be included and critical perspectives on the organisations' services might have been underrepresented. Moreover, we were unable to compensate participants monetarily due to university regulations. This posed a limitation, as being able to compensate for time and energy might have allowed a more diverse range of participants to be interviewed. The power dynamics between researchers and participants, shaped by differences in education, language proficiency, and ethnic backgrounds, also influenced the results. We aimed to foster a comfortable environment by interviewing participants in spaces they were familiar with. Nonetheless, future research would benefit from more longstanding ethnographic fieldwork in these neighbourhoods. Although our sample was diverse and many countries of origin were represented, the sample size is too limited to draw conclusions about differing cultural expressions and approaches regarding mental health or coping strategies. Focusing on specific migrant groups, utilizing native languages, and conducting focus groups to foster emotional support could be additional strategies to promote trust and gather in-depth insights.

5. Conclusion

This qualitative case study explored the organisation and experience of community-level responses to the mental health impact of the COVID-19 crisis among first-generation migrants in the districts of Borgerhout and Antwerpen-Noord, Belgium. The findings shed light on the importance and indispensability of local-level services and organisations in delivering psycho-social support and services, particularly during times of crisis such as the COVID-19 pandemic. Several key qualities and characteristics emerged as crucial for the effectiveness of these local-level initiatives, including their awareness of local needs, flexibility in addressing gaps left by other services, holistic response to diverse needs, cultural sensitivity in care provision, and physical accessibility.

However, our study also revealed the fragility and fragmentation of these local-level services and initiatives. The COVID-19 crisis posed significant challenges, including impaired physical accessibility of services, overloading of existing initiatives, and a lack of coordination and oversight, creating barriers for both service users and providers. The study findings highlight the need to prioritize physical accessibility of community-level mental health services; enhance culturally sensitive approaches by training and employing professionals who share a similar background or language proficiency with migrants; and foster better collaborations between community-level organisations and city governments. These insights are valuable for guiding future crisis responses and mental health policy in similar communities and neighbourhoods.

Funding source

EU Horizon 2020 COVINFORM project, funded under Grant

Agreement No. 101016247. The funding source had no involvement in the study design; in the collection, analysis and interpretation of data; in the writing of the articles; or in the decision to submit it for publication.

CRedit authorship contribution statement

Jil Molenaar: Conceptualization, Formal analysis, Investigation, Methodology, Writing – original draft, Writing – review & editing. **Hannah Robinson:** Formal analysis, Investigation, Methodology, Writing – review & editing. **Lore Van Praag:** Conceptualization, Funding acquisition, Supervision, Writing – review & editing.

Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Acknowledgements

We thank the study participants who gave generously of their time to be interviewed.

References

- Aigner, P., & Bešić, A. (2023). Left to their own devices: Refugees' labour-market integration challenges in Austria during the covid-19 pandemic. In M.-L. Jakobson, R. King, L. Moroşanu, & R. Vetik (Eds.), *Anxieties of migration and integration in turbulent times* (pp. 77–93). Springer International Publishing. https://doi.org/10.1007/978-3-031-23996-0_5.
- Alarcão, V., Virgolino, A., Stefanovska-Petkovska, M., & Neves, J. (2022). Exploring the effects of the COVID-19 pandemic on mental health and well-being of migrant populations in Europe: An equity-focused scoping review. *Behavioral Sciences*, 12(10). <https://doi.org/10.3390/bs12100393>. Article 10.
- Allwood, L., & Bell, A. (2020). *Briefing—COVID-19: Understanding inequalities in mental health during the pandemic*. Centre for Mental Health https://www.centreformentalhealth.org.uk/sites/default/files/2020-07/CentreforMentalHealth_CovidInequalities_0.pdf.
- Apers, H., Nöstlinger, C., & Van Praag, L. (2023a). Explanatory Models of (Mental) Health Among Sub-Saharan African Migrants in Belgium: A Qualitative Study of Healthcare Professionals' Perceptions and Practices. *Culture, Medicine and Psychiatry*, 1–20. <https://doi.org/10.1007/s11013-023-09816-6>.
- Apers, H., Van Praag, L., Nöstlinger, C., & Agyemang, C. (2023b). Interventions to improve the mental health or mental well-being of migrants and ethnic minority groups in Europe: A scoping review. *Cambridge Prisms: Global Mental Health*, 10, Article e23. <https://doi.org/10.1017/gmh.2023.15>.
- Baskin, C., Zijlstra, G., McGrath, M., Lee, C., Duncan, F. H., Oliver, E. J., Osborn, D., Dykxhoorn, J., Kaner, E. F. S., LaFortune, L., Walters, K. R., Kirkbride, J., & Gnani, S. (2021). Community-centred interventions for improving public mental health among adults from ethnic minority populations in the UK: A scoping review. *BMJ Open*, 11(4), Article e041102. <https://doi.org/10.1136/bmjopen-2020-041102>.
- Braun, V., & Clarke, V. (2021). One size fits all? What counts as quality practice in (reflexive) thematic analysis? *Qualitative Research in Psychology*, 18(3), 328–352. <https://doi.org/10.1080/14780887.2020.1769238>.
- Brenner, S., & Lok, V. (2022). "We assist the health system doing the work that should be done by others" – a qualitative study on experiences of grassroots level organisations providing refugee health care during the 2015 migration event in Germany. *BMC Health Services Research*, 22(1), 309. <https://doi.org/10.1186/s12913-022-07683-2>.
- Camille, D., Pierre, S., & Vincent, L. (2023). Mental health among people with a migration background in Belgium over the past 20 years: How has the situation evolved? *Archives of Public Health*, 81(1), 176. <https://doi.org/10.1186/s13690-023-01187-z>.
- Campo-Arias, A., & Mendieta, C. T. D. (2021). Social determinants of mental health and the COVID-19 pandemic in low-income and middle-income countries. *Lancet Global Health*, 9(8), e1029–e1030. [https://doi.org/10.1016/S2214-109X\(21\)00253-9](https://doi.org/10.1016/S2214-109X(21)00253-9).
- Cheshmehzangi, A., Zou, T., & Su, Z. (2022). The digital divide impacts on mental health during the COVID-19 pandemic. *Brain, Behavior, and Immunity*, 101, 211–213. <https://doi.org/10.1016/j.bbi.2022.01.009>.
- Ddungu, C., Manirankunda, L., Meudec, M., Van Landeghem, E., Vanhamel, J., Katsuva, D., & Nöstlinger, C. (2023). Sub-Saharan African communities' experiences and engagement with COVID-19 and the related control strategies in Antwerp, Belgium. *International Journal for Equity in Health*, 22(1), 53. <https://doi.org/10.1186/s12939-023-01867-w>.
- Duveau, C., Wets, C., Delaruelle, K., Demoulin, S., Dauvrin, M., Lepièce, B., ... Lorant, V. (2023). Unintentional discrimination against patients with a migration background by general practitioners in mental health management: an experimental study. *Administration and Policy in Mental Health and Mental Health Services Research*, 1–11.

- Gater, R., Waheed, W., Husain, N., Tomenson, B., Aseem, S., & Creed, F. (2010). Social intervention for British Pakistani women with depression: Randomised controlled trial. *The British Journal of Psychiatry*, 197(3), 227–233. <https://doi.org/10.1192/bjp.bp.109.066845>
- Gavin, B., Lyne, J., & McNicholas, F. (2020). Mental health and the COVID-19 pandemic. *Irish Journal of Psychological Medicine*, 37(3), 156–158. <https://doi.org/10.1017/ipm.2020.72>
- Gewirtz, A. H., & August, G. J. (2008). Incorporating multifaceted mental health prevention services in community sectors-of-care. *Clinical Child and Family Psychology Review*, 11(1–2), 1–11. <https://doi.org/10.1007/s10567-007-0029-1>
- Gillespie, A., Seff, I., Caron, C., Maglietti, M. M., Erskine, D., Poulton, C., & Stark, L. (2022). “The pandemic made us stop and think about who we are and what we want:” Using intersectionality to understand migrant and refugee women’s experiences of gender-based violence during COVID-19. *BMC Public Health*, 22(1), 1469. <https://doi.org/10.1186/s12889-022-13866-7>
- Gopalkrishnan, N. (2018). Cultural diversity and mental health: Considerations for policy and practice. *Frontiers in Public Health*, 6, 179. <https://doi.org/10.3389/fpubh.2018.00179>
- Healthy Belgium. <https://www.healthybelgium.be/en/>.
- in Cijfers, S. (2023). *Stad in Cijfers databank [city in numbers database]*. Antwerpen.Be. <https://stadincijfers.antwerpen.be/databank/>
- Joshi, A. (2021). COVID-19 pandemic in India: Through psycho-social lens. *Journal of Social and Economic Development*, 23(2), 414–437. <https://doi.org/10.1007/s40847-020-00136-8>
- Kola, L. (2020). Global mental health and COVID-19. *The Lancet Psychiatry*, 7(8), 655–657. [https://doi.org/10.1016/S2215-0366\(20\)30235-2](https://doi.org/10.1016/S2215-0366(20)30235-2)
- Liu, J., Ji, B., & Lou, Y. (2022). Impact of the COVID-19 pandemic on community services for homebound older adults in New York City. *Health and Social Care in the Community*, 30(5), 1743–1753. <https://doi.org/10.1111/hsc.13554>
- Lovell, K., Lamb, J., Gask, L., Bower, P., Waheed, W., Chew-Graham, C., Lamb, J., Aseem, S., Beatty, S., Burroughs, H., Clarke, P., Dowrick, A., Edwards, S., Gabbay, M., Lloyd-Williams, M., & Dowrick, C. (2014). Development and evaluation of culturally sensitive psychosocial interventions for under-served people in primary care. *BMC Psychiatry*, 14(1), 217. <https://doi.org/10.1186/s12888-014-0217-8>
- Mengesha, Z., Alloun, E., Weber, D., Smith, M., & Harris, P. (2022). “Lived the pandemic twice”: A scoping review of the unequal impact of the COVID-19 pandemic on asylum seekers and undocumented migrants. *International Journal of Environmental Research and Public Health*, 19(11). <https://doi.org/10.3390/ijerph19116624>. Article 11.
- Molenaar, J., & Van Praag, L. (2022). Migrants as “vulnerable groups” in the COVID-19 pandemic: A critical discourse analysis of a taken-for-granted label in academic literature. *SSM - Qualitative Research in Health*, 2, 100076. <https://doi.org/10.1016/j.ssmqr.2022.100076>
- Morse, G. A., & Dell, N. A. (2021). The well-being and perspectives of community-based behavioral health staff during the COVID-19 pandemic. *Social Work in Health Care*, 60(2), 117–130. <https://doi.org/10.1080/00981389.2021.1904315>
- Myria. (2023). *Bevolking en migratiebewegingen*. <https://www.myria.be/nl/cijfers>.
- Nöstlinger, C., Van Landeghem, E., Vanhamel, J., Rotsaert, A., Manirankunda, L., Ddungu, C., Reyniers, T., Katsuva, D., Vercruyssen, J., Dielen, S., & Meudec, M. (2022). COVID-19 as a social disease: Qualitative analysis of COVID-19 prevention needs, impact of control measures and community responses among racialized/ethnic minorities in Antwerp, Belgium. *International Journal for Equity in Health*, 21(1), 67. <https://doi.org/10.1186/s12939-022-01672-x>
- Purtle, J. (2012). Racial and ethnic disparities in post-disaster mental health: Examining the evidence through a lens of social justice. *Washington and Lee Journal of Civil Rights and Social Justice*, 19, 31.
- Riboldi, M., Fennis, L., & Stears, M. (2022). *Nurturing links across civil society: Lessons from Australia’s for-purpose sector’s response to COVID-19*. Sydney Policy Lab (Australia) [Report] <https://apo.org.au/node/316831>.
- Roxby, P. (2020). *Psychiatrists fear “tsunami” of mental illness after lockdown*. BBC News. <https://www.bbc.com/news/health-52676981>.
- Schneeberger, A. R., & Huber, C. G. (2022). Crisis within a crisis – the fragility of acute psychiatric care delivery. *World Psychiatry*, 21(2), 245–246. <https://doi.org/10.1002/wps.20969>
- Spiritus-Beerden, E., Verelst, A., Devlieger, I., Langer Primdahl, N., Botelho Guedes, F., Chiarenza, A., De Maesschalck, S., Durbeej, N., Garrido, R., Gaspar de Matos, M., Ioannidi, E., Murphy, R., Oulahal, R., Osman, F., Padilla, B., Paloma, V., Shehadeh, A., Sturm, G., van den Muijsenbergh, M., ... Derluyn, I. (2021). Mental health of refugees and migrants during the COVID-19 pandemic: The role of experienced discrimination and daily stressors. *International Journal of Environmental Research and Public Health*, 18(12). <https://doi.org/10.3390/ijerph18126354>. Article 12.
- Vanhamel, J., Meudec, M., Van Landeghem, E., Ronse, M., Gryseels, C., Reyniers, T., Rotsaert, A., Ddungu, C., Manirankunda, L., Katsuva, D., Peeters Grietens, K., & Nöstlinger, C. (2020). *Understanding how communities respond to COVID-19: Experiences from the orthodox jewish communities of Antwerp city*. <https://doi.org/10.21203/rs.3.rs-134922/v1>
- Weich, S., Nazroo, J., Sproston, K., McManus, S., Blanchard, M., Erens, B., Karlsen, S., King, M., Lloyd, K., Stansfeld, S., & Tyrer, P. (2004). Common mental disorders and ethnicity in England: The EMPIRIC study. *Psychological Medicine*, 34(8), 1543–1551. <https://doi.org/10.1017/s0033291704002715>