

## REFERENCES

- 1 Young RW. (1987) Pathophysiology of age-related macular degeneration. *Surv Ophthalmol* 31: 291-306.
- 2 Sarks SH. (1976) Ageing and degeneration in the macular region: a clinico-pathological study. *Br J Ophthalmol* 60: 324-341.
- 3 Vingerling JR, Dielemans I, Hofman A, Grobbee DE, Hijmering M, Kramer CF, de Jong PT. (1995) The prevalence of age-related maculopathy in the Rotterdam Study. *Ophthalmology* 102: 205-210.
- 4 Ferris FL, 3rd, Fine SL, Hyman L. (1984) Age-related macular degeneration and blindness due to neovascular maculopathy. *Arch Ophthalmol* 102: 1640-1642.
- 5 Klein R, Klein BE, Jensen SC, Meuer SM. (1997) The five-year incidence and progression of age-related maculopathy: the Beaver Dam Eye Study. *Ophthalmology* 104: 7-21.
- 6 Smith W, Assink J, Klein R, Mitchell P, Klaver CC, Klein BE, Hofman A, Jensen S, Wang JJ, de Jong PT. (2001) Risk factors for age-related macular degeneration: Pooled findings from three continents. *Ophthalmology* 108: 697-704.
- 7 Klaver CC, Wolfs RC, Assink JJ, van Duijn CM, Hofman A, de Jong PT. (1998) Genetic risk of age-related maculopathy. Population-based familial aggregation study. *Arch Ophthalmol* 116: 1646-1651.
- 8 Gorin MB, Breitner JC, De Jong PT, Hageman GS, Klaver CC, Kuehn MH, Seddon JM. (1999) The genetics of age-related macular degeneration. *Mol Vis* 5: 29.
- 9 Allikmets R, Shroyer NF, Singh N, Seddon JM, Lewis RA, Bernstein PS, Peiffer A, Zabriskie NA, Li Y, Hutchinson A, Dean M, Lupski JR, Leppert M. (1997) Mutation of the Stargardt disease gene (ABCR) in age-related macular degeneration. *Science* 277: 1805-1807.
- 10 Seddon JM, Willett WC, Speizer FE, Hankinson SE. (1996) A prospective study of cigarette smoking and age-related macular degeneration in women. *Jama* 276: 1141-1146.
- 11 Smith W, Mitchell P, Leeder SR. (1996) Smoking and age-related maculopathy. The Blue Mountains Eye Study. *Arch Ophthalmol* 114: 1518-1523.
- 12 AREDS report. A randomized, placebo-controlled, clinical trial of high-dose supplementation with vitamins C and E, beta carotene, and zinc for age-related macular degeneration and vision loss: AREDS report no. 8. (2001) *Arch Ophthalmol* 119: 1417-1436.
- 13 Ciulla TA, Danis RP, Harris A. (1998) Age-related macular degeneration: a review of experimental treatments. *Surv Ophthalmol* 43: 134-146.
- 14 Bone RA, Landrum JT, Tarsis SL. (1985) Preliminary identification of the human macular pigment. *Vision Res* 25: 1531-1535.
- 15 Snodderly DM, Brown PK, Delori FC, Auran JD. (1984) The macular pigment. I. Absorbance spectra, localization, and discrimination from other yellow pigments in primate retinas. *Invest Ophthalmol Vis Sci* 25: 660-673.
- 16 Vijg J. (2000) Somatic mutations and aging: a re-evaluation. *Mutat Res* 447: 117-135.
- 17 Robbins SL. (1997) Cell injury, death, and adaptation. In: Kumar V, Cotran RS and Robbins SL, eds. Basic Pathology. 6th. Philadelphia: WB Saunders company, pp 23-24.
- 18 Vijg J, Wei JY. (1995) Understanding the biology of aging: the key to prevention and therapy. *J Am Geriatr Soc* 43: 426-434.

## REFERENCES

- 19 Harman D. (1981) The aging process. *Proc Natl Acad Sci U S A* 78: 7124-7128.
- 20 Beckman KB, Ames BN. (1998) The free radical theory of aging matures. *Physiol Rev* 78: 547-581.
- 21 Kowald A. (2001) The mitochondrial theory of aging. *Biol Signals Recept* 10: 162-175.
- 22 Harley CB. (1991) Telomere loss: mitotic clock or genetic time bomb? *Mutat Res* 256: 271-282.
- 23 Klapper W, Parwaresch R, Krupp G. (2001) Telomere biology in human aging and aging syndromes. *Mech Ageing Dev* 122: 695-712.
- 24 Wallace DC. (1992) Diseases of the mitochondrial DNA. *Annu Rev Biochem* 61: 1175-1212.
- 25 Cai J, Nelson KC, Wu M, Sternberg P, Jr., Jones DP. (2000) Oxidative damage and protection of the RPE. *Prog Retin Eye Res* 19: 205-221.
- 26 Curcio CA, Millican CL, Allen KA, Kalina RE. (1993) Aging of the human photoreceptor mosaic: evidence for selective vulnerability of rods in central retina. *Invest Ophthalmol Vis Sci* 34: 3278-3296.
- 27 Gao H, Hollyfield JG. (1992) Aging of the human retina. Differential loss of neurons and retinal pigment epithelial cells. *Invest Ophthalmol Vis Sci* 33: 1-17.
- 28 Bazan NG, Rodriguez de Turco EB. (1994) Review: pharmacological manipulation of docosahexaenoic-phospholipid biosynthesis in photoreceptor cells: implications in retinal degeneration. *J Ocul Pharmacol* 10: 591-604.
- 29 Beatty S, Koh H, Phil M, Henson D, Boulton M. (2000) The role of oxidative stress in the pathogenesis of age-related macular degeneration. *Surv Ophthalmol* 45: 115-134.
- 30 Winkler BS, Boulton ME, Gottsch JD, Sternberg P. (1999) Oxidative damage and age-related macular degeneration. *Mol Vis* 5: 32.
- 31 Rozanowska M, Jarvis-Evans J, Korytowski W, Boulton ME, Burke JM, Sarna T. (1995) Blue light-induced reactivity of retinal age pigment. In vitro generation of oxygen-reactive species. *J Biol Chem* 270: 18825-18830.
- 32 Rozanowska M, Wessels J, Boulton M, Burke JM, Rodgers MA, Truscott TG, Sarna T. (1998) Blue light-induced singlet oxygen generation by retinal lipofuscin in non-polar media. *Free Radic Biol Med* 24: 1107-1112.
- 33 Marshall J. (1985) Radiation and the ageing eye. *Ophthalmic Physiol Opt* 5: 241-263.
- 34 Kerr J, Wyllie A, Currie A. (1972) Apoptosis: a basic biological phenomenon with wide ranging implications in tissue kinetics. *Br J Cancer* 26: 239-257.
- 35 Kerr J, Winterford C, Harmon B. (1994) Apoptosis, its significance in cancer and cancer therapy. *Cancer* 73: 2013-2023.
- 36 Bowen I. (1993) Apoptosis or programmed cell death? *Cell Biology International* 17: 365-380.
- 37 Schwartzman RA, Cidlowski JA. (1993) Apoptosis: the biochemistry and molecular biology of programmed cell death. *Endocr Rev* 14: 133-151.
- 38 Wyllie A. (1994) Apoptosis: Death gets a brake. *Nature* 369: 272-273.
- 39 Gavrieli Y, Sherman Y, Ben-Sasson SA. (1992) Identification of programmed cell death in situ via specific labeling of nuclear DNA fragmentation. *J Cell Biol* 119: 493-501.
- 40 Wyllie AH, Kerr JF, Currie AR. (1980) Cell death: the significance of apoptosis. *Int Rev Cytol* 68: 251-306.
- 41 Linden R, Rehen SK, Chiarini LB. (1999) Apoptosis in developing retinal tissue. *Prog Retin Eye Res* 18: 133-165.

REFERENCES

- 42 Young R. (1984) Cell death during differentiation of the retina in the mouse. *J Comp Neurol* 229: 362-373.
- 43 Portera-Cailliau C, Sung S, Nathans J, Adler R. (1994) Apoptotic photoreceptor cell death in mouse models of retinitis pigmentosa. *Proc Natl Acad Sci* 91: 974-978.
- 44 Lolley R, Rong H, Craft C. (1994) Linkage of photoreceptor degeneration by apoptosis with inherited defect in phototransduction. *Invest Ophthalmol Vis Sci* 35: 358-362.
- 45 Chang GQ, Hao Y, Wong F. (1993) Apoptosis: final common pathway of photoreceptor death in rd, rds, and rhodopsin mutant mice. *Neuron* 11: 595-605.
- 46 Chang CJ, Lai WW, Edward DP, Tso MO. (1995) Apoptotic photoreceptor cell death after traumatic retinal detachment in humans. *Arch Ophthalmol* 113: 880-886.
- 47 Berglin L, Algvare PV, Seregard S. (1997) Photoreceptor decay over time and apoptosis in experimental retinal detachment. *Graefes Arch Clin Exp Ophthalmol* 235: 306-312.
- 48 Esser P, Bartz-Schmidt KU, Walter P, Kaszli F, Heimann K, Weller M. (1996) Apoptotic cell death in proliferative vitreoretinopathy. *Ger J Ophthalmol* 5: 73-78.
- 49 Hammes HP, Federoff HJ, Brownlee M. (1995) Nerve growth factor prevents both neuroretinal programmed cell death and capillary pathology in experimental diabetes. *Mol Med* 1: 527-534.
- 50 Levin L, Louhab A. (1996) Apoptosis of retinal ganglion cells in anterior ischemic optic neuropathy. *Arch Ophthalmol* 114: 488-491.
- 51 Garcia-Valenzuela E, Shareef S, Walsh J, Sharma SC. (1995) Programmed cell death of retinal ganglion cells during experimental glaucoma. *Exp Eye Res* 61: 33-44.
- 52 Quigley H, Nickells R, Kerrigan L, Pease M, Thibault D, Zack D. (1995) Retinal ganglion cell death in experimental glaucoma and after axotomy occurs by apoptosis. *Invest Ophthalmol Vis Sci* 36: 774-786.
- 53 Nickells RW, Zack DJ. (1996) Apoptosis in ocular disease: a molecular overview. *Ophthalmic Genet* 17: 145-165.
- 54 Hinton DR, He S, Lopez PF. (1998) Apoptosis in surgically excised choroidal neovascular membranes in age-related macular degeneration. *Arch Ophthalmol* 116: 203-209.
- 55 Tso MO, Li WW, Xu GZ. (1996) Apoptosis in human retinal degenerations. *Trans Am Ophthalmol Soc* 94: 411-430.
- 56 Wiezorrek R, Schafer H, Bialasiewicz AA, Richard G. (2000) [Programmed cell death (apoptosis) in excised subretinal neovascularization]. *Ophthalmologe* 97: 79-83.
- 57 Boise LH, Gonzalez-Garcia M, Postema CE, Ding L, Lindsten T, Turka LA, Mao X, Nunez G, Thompson CB. (1993) bcl-x, a bcl-2-related gene that functions as a dominant regulator of apoptotic cell death. *Cell* 74: 597-608.
- 58 Merry DE, Veis DJ, Hickey WF, Korsmeyer SJ. (1994) bcl-2 protein expression is widespread in the developing nervous system and retained in the adult PNS. *Development* 120: 301-311.
- 59 Levin LA, Schlamp CL, Spieldoch RL, Geszvain KM, Nickells RW. (1997) Identification of the bcl-2 family of genes in the rat retina. *Invest Ophthalmol Vis Sci* 38: 2545-2553.
- 60 Chen J, Flannery J, LaVail M, Steinberg R, Xu J, Simon M. (1996) Bcl-2 overexpression reduces apoptotic photoreceptor cell death in three different retinal degenerations. *Proc Natl Acad Sci USA* 93: 7042-7047.
- 61 Joseph R, Li T. (1996) Overexpression of Bcl-2 or Bcl-X<sub>L</sub> transgenes and photoreceptor degeneration. *Invest Ophthalmol Vis Sci* 37: 2434-2446.
- 62 Peter ME, Krammer PH. (1998) Mechanisms of CD95 (APO-1/Fas)-mediated apoptosis. *Curr Opin Immunol* 10: 545-551.

## REFERENCES

- 63 Griffith TS, Brunner T, Fletcher SM, Green DR, Ferguson TA. (1995) Fas ligand-induced apoptosis as a mechanism of immune privilege. *Science* 270: 1189-1192.
- 64 Kaplan HJ, Leibole MA, Tezel T, Ferguson TA. (1999) Fas ligand (CD95 ligand) controls angiogenesis beneath the retina. *Nat Med* 5: 292-297.
- 65 Liebermann DA, Hoffman B, Steinman RA. (1995) Molecular controls of growth arrest and apoptosis: p53-dependent and independent pathways. *Oncogene* 11: 199-210.
- 66 Rosenbaum DM, Rosenbaum PS, Gupta H, Singh M, Aggarwal A, Hall DH, Roth S, Kessler JA. (1998) The role of the p53 protein in the selective vulnerability of the inner retina to transient ischemia. *Invest Ophthalmol Vis Sci* 39: 2132-2139.
- 67 Joo CK, Choi JS, Ko HW, Park KY, Sohn S, Chun MH, Oh YJ, Gwag BJ. (1999) Necrosis and apoptosis after retinal ischemia: involvement of NMDA- mediated excitotoxicity and p53. *Invest Ophthalmol Vis Sci* 40: 713-720.
- 68 Ali RR, Reichel MB, Kanuga N, Munro PM, Alexander RA, Clarke AR, Luthert PJ, Bhattacharya SS, Hunt DM. (1998) Absence of p53 delays apoptotic photoreceptor cell death in the rds mouse. *Curr Eye Res* 17: 917-923.
- 69 Marti A, Hafezi F, Lansel N, Hegi ME, Wenzel A, Grimm C, Niemeyer G, Reme CE. (1998) Light-induced cell death of retinal photoreceptors in the absence of p53. *Invest Ophthalmol Vis Sci* 39: 846-849.
- 70 Morgan JI, Curran T. (1991) Stimulus-transcription coupling in the nervous system: involvement of the inducible proto-oncogenes fos and jun. *Annu Rev Neurosci* 14: 421-451.
- 71 Hafezi F, Steinbach JP, Marti A, Munz K, Wang ZQ, Wagner EF, Aguzzi A, Reme CE. (1997) The absence of c-fos prevents light-induced apoptotic cell death of photoreceptors in retinal degeneration in vivo. *Nat Med* 3: 346-349.
- 72 Hogan MJ. (1972) Role of the retinal pigment epithelium in macular disease. *Trans Am Acad Ophthalmol Otolaryngol* 76: 64-80.
- 73 Green WR, Key SN, 3rd. (1977) Senile macular degeneration: a histopathologic study. *Trans Am Ophthalmol Soc* 75: 180-254.
- 74 Spraul CW, Lang GE, Grossniklaus HE, Lang GK. (1999) Growth factors in age-related macular degeneration. *Ophthalmic Res* 31: 243-244.
- 75 Grunwald J. (1999) Choroidal blood flow. In: Berger JW, Fine SL and Maguire MG, eds. Age-related macular degeneration. Missouri: Mosby, pp 167-172.
- 76 Kornzweig AL. (1977) Changes in the choriocapillaris associated with senile macular degeneration. *Ann Ophthalmol* 9: 753-756, 759-762.
- 77 Friedman E. (2000) The role of the atherosclerotic process in the pathogenesis of age- related macular degeneration. *Am J Ophthalmol* 130: 658-663.
- 78 Penfold PL, Madigan MC, Gillies MC, Provis JM. (2001) Immunological and aetiological aspects of macular degeneration. *Prog Retin Eye Res* 20: 385-414.
- 79 Luty G, Grunwald J, Majji AB, Uyama M, Yoneya S. (1999) Changes in choriocapillaris and retinal pigment epithelium in age- related macular degeneration. *Mol Vis* 5: 35.
- 80 Ramrattan RS, van der Schaft TL, Mooy CM, de Bruyn CM, Mulder PGH, de Jong PTVM. (1994) Morphometric analysis of Bruch's membrane, the choriocapillaris and the choroid in aging. *Invest Ophthalmol Vis Sci* 35: 2857 - 2864.
- 81 Friedman E, Krupsky S, Lane AM, Oak SS, Friedman ES, Egan K, Gragoudas ES. (1995) Ocular blood flow velocity in age-related macular degeneration. *Ophthalmology* 102: 640-646.

REFERENCES

- 82 Ross RD, Barofsky JM, Cohen G, Baber WB, Palao SW, Gitter KA. (1998) Presumed macular choroidal watershed vascular filling, choroidal neovascularization, and systemic vascular disease in patients with age-related macular degeneration. *Am J Ophthalmol* 125: 71-80.
- 83 Pauleikhoff D, Chen JC, Chisholm IH, Bird AC. (1990) Choroidal perfusion abnormality with age-related Bruch's membrane change. *Am J Ophthalmol* 109: 211-217.
- 84 Piguet B, Palmvang IB, Chisholm IH, Minassian D, Bird AC. (1992) Evolution of age-related macular degeneration with choroidal perfusion abnormality. *Am J Ophthalmol* 113: 657-663.
- 85 Remulla JF, Gaudio AR, Miller S, Sandberg MA. (1995) Foveal electroretinograms and choroidal perfusion characteristics in fellow eyes of patients with unilateral neovascular age-related macular degeneration. *Br J Ophthalmol* 79: 558-561.
- 86 Bernstein P. (1999) Macular biology. In: Berger J, Fine S and Maguire M, eds. Age-related macular degeneration. Missouri: Mosby, pp 1-16.
- 87 Sheraidah G, Steinmetz R, Maguire J, Pauleikhoff D, Marshall J, Bird AC. (1993) Correlation between lipids extracted from Bruch's membrane and age. *Ophthalmology* 100: 47-51.
- 88 Curcio CA, Millican CL, Bailey T, Kruth HS. (2001) Accumulation of cholesterol with age in human Bruch's membrane. *Invest Ophthalmol Vis Sci* 42: 265-274.
- 89 Holz FG, Sheraidah G, Pauleikhoff D, Bird AC. (1994) Analysis of lipid deposits extracted from human macular and peripheral Bruch's membrane. *Arch Ophthalmol* 112: 402-406.
- 90 Curcio CA, Medeiros NE, Millican CL. (1996) Photoreceptor loss in age-related macular degeneration. *Invest Ophthalmol Vis Sci* 37: 1236-1249.
- 91 Weng J, Mata NL, Azarian SM, Tzekov RT, Birch DG, Travis GH. (1999) Insights into the function of Rim protein in photoreceptors and etiology of Stargardt's disease from the phenotype in abcr knockout mice. *Cell* 98: 13-23.
- 92 Allikmets R. (2000) Further evidence for an association of ABCR alleles with age-related macular degeneration. The International ABCR Screening Consortium. *Am J Hum Genet* 67: 487-491.
- 93 Stone EM, Webster AR, Vandenberg K, Streb LM, Hockey RR, Lotery AJ, Sheffield VC. (1998) Allelic variation in ABCR associated with Stargardt disease but not age-related macular degeneration. *Nat Genet* 20: 328-329.
- 94 van Driel MA, Maugeri A, Klevering BJ, Hoyng CB, Cremers FP. (1998) ABCR unites what ophthalmologists divide(s). *Ophthalmic Genet* 19: 117-122.
- 95 van der Schaft T. (1993) Age-related macular degeneration: a light- and electron microscopical study. (thesis) Dept of Ophthalmology, Erasmus University Rotterdam, The Netherlands.
- 96 Kliffen M. (1996) Age-related maculopathy: a biochemical and immunohistochemical study. (thesis) Dept of Ophthalmology, Erasmus University Rotterdam, The Netherlands. ISBN 90-9009285-4.
- 97 Loeffler KU, Lee WR. (1998) Terminology of sub-RPE deposits: do we all speak the same language? *Br J Ophthalmol* 82: 1104-1105.
- 98 Hageman GS, Luthert PJ, Victor Chong NH, Johnson LV, Anderson DH, Mullins RF. (2001) An integrated hypothesis that considers drusen as biomarkers of immune-mediated processes at the RPE-Bruch's membrane interface in aging and age-related macular degeneration. *Prog Retin Eye Res* 20: 705-732.
- 99 Klaver CC, Assink JJ, van Leeuwen R, Wolfs RC, Vingerling JR, Stijnen T, Hofman A, de Jong PT. (2001) Incidence and progression rates of age-related maculopathy: the Rotterdam Study. *Invest Ophthalmol Vis Sci* 42: 2237-2241.
- 100 Sarks SH. (1980) Council Lecture. Drusen and their relationship to senile macular degeneration. *Aust J Ophthalmol* 8: 117-130.

REFERENCES

- 101 Fine SL, Berger JW, Maguire MG, Ho AC. (2000) Age-related macular degeneration. *N Engl J Med* 342: 483-492.
- 102 Sarraf D, Gin T, Yu F, Brannon A, Owens SL, Bird AC. (1999) Long-term drusen study. *Retina* 19: 513-519.
- 103 Ishibashi T, Sorgente N, Patterson R, Ryan SJ. (1986) Pathogenesis of drusen in the primate. *Invest Ophthalmol Vis Sci* 27: 184-193.
- 104 Fine BS. (1981) Lipoidal degeneration of the retinal pigment epithelium. *Am J Ophthalmol* 91: 469-473.
- 105 Bird AC. (1992) Bruch's membrane change with age. *Br J Ophthalmol* 76: 166-168.
- 106 Friedman E, Ts'o MO. (1968) The retinal pigment epithelium. II. Histologic changes associated with age. *Arch Ophthalmol* 79: 315-320.
- 107 Johnson LV, Leitner WP, Staples MK, Anderson DH. (2001) Complement activation and inflammatory processes in Drusen formation and age related macular degeneration. *Exp Eye Res* 73: 887-896.
- 108 Green WR. (1999) Histopathology of age-related macular degeneration. *Mol Vis* 5: 27.
- 109 Hageman GS, Mullins RF. (1999) Molecular composition of drusen as related to substructural phenotype. *Mol Vis* 5: 28.
- 110 Curcio CA, Millican CL. (1999) Basal linear deposit and large drusen are specific for early age-related maculopathy. *Arch Ophthalmol* 117: 329-339.
- 111 Green WR, Enger C. (1993) Age-related macular degeneration histopathologic studies. The 1992 Lorenz E. Zimmerman Lecture. *Ophthalmology* 100: 1519-1535.
- 112 van der Schaft TL, de Bruijn WC, Mooy CM, Oron FG, Mulder PG, de Jong PTVM. (1992) Histologic features of the early stages of age-related macular degeneration. A statistical analysis. *Ophthalmology* 99: 278 - 286.
- 113 Okubo A, Rosa RH, Jr., Bunce CV, Alexander RA, Fan JT, Bird AC, Luthert PJ. (1999) The relationships of age changes in retinal pigment epithelium and Bruch's membrane. *Invest Ophthalmol Vis Sci* 40: 443-449.
- 114 Sarks SH, Arnold JJ, Killingsworth MC, Sarks JP. (1999) Early drusen formation in the normal and aging eye and their relation to age related maculopathy: a clinicopathological study. *Br J Ophthalmol* 83: 358-368.
- 115 Delori FC, Goger DG, Dorey CK. (2001) Age-related accumulation and spatial distribution of lipofuscin in RPE of normal subjects. *Invest Ophthalmol Vis Sci* 42: 1855-1866.
- 116 Green W, Harlan J. (1999) Histopathologic features. In: Berger JW, Fine SL and Maguire MG, eds. Age-related macular degeneration. Missouri: Mosby, pp 81-154.
- 117 Bressler SB, Maguire MG, Bressler NM, Fine SL. (1990) Relationship of drusen and abnormalities of the retinal pigment epithelium to the prognosis of neovascular macular degeneration. The Macular Photocoagulation Study Group. *Arch Ophthalmol* 108: 1442-1447.
- 118 Spraul CW, Lang GE, Grossniklaus HE, Lang GK. (1999) Histologic and morphometric analysis of the choroid, Bruch's membrane, and retinal pigment epithelium in postmortem eyes with age-related macular degeneration and histologic examination of surgically excised choroidal neovascular membranes. *Surv Ophthalmol* 44 Suppl 1: S10-32.
- 119 Campochiaro PA, Hackett SF, Viores SA. (1996) Growth factors in the retina and retinal pigmented epithelium. *Prog Retin Eye Res* 15: 547-567.
- 120 Grossniklaus HE, Gass JD. (1998) Clinicopathologic correlations of surgically excised type 1 and type 2 submacular choroidal neovascular membranes [see comments]. *Am J Ophthalmol* 126: 59-69.

REFERENCES

- 121 Lopez PF, Grossniklaus HE, Lambert HM, Aaberg TM, Capone A, Jr., Sternberg P, Jr., L'Hernault N. (1991) Pathologic features of surgically excised subretinal neovascular membranes in age-related macular degeneration. *Am J Ophthalmol* 112: 647-656.
- 122 Gehrs KM, Heriot WJ, de Juan E, Jr. (1992) Transmission electron microscopic study of a subretinal choroidal neovascular membrane due to age-related macular degeneration. *Arch Ophthalmol* 110: 833-837.
- 123 Seregard S, Algyvere PV, Berglin L. (1994) Immunohistochemical characterization of surgically removed subfoveal fibrovascular membranes. *Graefes Arch Clin Exp Ophthalmol* 232: 325-329.
- 124 Penfold PL, Killingsworth MC, Sarks SH. (1985) Senile macular degeneration: the involvement of immunocompetent cells. *Graefes Arch Clin Exp Ophthalmol* 223: 69-76.
- 125 Killingsworth MC. (1995) Angiogenesis in early choroidal neovascularization secondary to age-related macular degeneration. *Graefes Arch Clin Exp Ophthalmol* 233: 313-323.
- 126 Wolter JR, Till GO. (1989) Multinucleated giant cells on Bruch's membrane late in recurrent retinal and subretinal hemorrhaging. *Ophthalmologica* 199: 53-59.
- 127 Sarks JP, Sarks SH, Killingsworth MC. (1997) Morphology of early choroidal neovascularisation in age-related macular degeneration: correlation with activity. *Eye* 11: 515-522.
- 128 Macular Photocoagulation Study Group. Subfoveal neovascular lesions in age-related macular degeneration. Guidelines for evaluation and treatment in the macular photocoagulation study. (1991) *Arch Ophthalmol* 109: 1242-1257.
- 129 Bressler NM, Bressler SB, Fine SL. (1988) Age-related macular degeneration. *Surv Ophthalmol* 32: 375-413.
- 130 Freund KB, Yannuzzi LA, Sorenson JA. (1993) Age-related macular degeneration and choroidal neovascularization. *Am J Ophthalmol* 115: 786-791.
- 131 Chang TS, Freund KB, de la Cruz Z, Yannuzzi LA, Green WR. (1994) Clinicopathologic correlation of choroidal neovascularization demonstrated by indocyanine green angiography in a patient with retention of good vision for almost four years. *Retina* 14: 114-124.
- 132 Guyer DR, Yannuzzi LA, Slakter JS, Sorenson JA, Hope-Ross M, Orlock DR. (1994) Digital indocyanine-green videoangiography of occult choroidal neovascularization. *Ophthalmology* 101: 1727-1735; discussion 1735-1727.
- 133 Gass JD. (1994) Biomicroscopic and histopathologic considerations regarding the feasibility of surgical excision of subfoveal neovascular membranes. *Am J Ophthalmol* 118: 285-298.
- 134 Casey R, Li WW. (1997) Factors controlling ocular angiogenesis. *Am J Ophthalmol* 124: 521-529.
- 135 Dawson DW, Volpert OV, Gillis P, Crawford SE, Xu H, Benedict W, Bouck NP. (1999) Pigment epithelium-derived factor: a potent inhibitor of angiogenesis. *Science* 285: 245-248.
- 136 Adler R, Curcio C, Hicks D, Price D, Wong F. (1999) Cell death in age-related macular degeneration. *Mol Vis* 5: 31.
- 137 Shweiki D, Itin A, Soffer D, Keshet E. (1992) Vascular endothelial growth factor induced by hypoxia may mediate hypoxia-initiated angiogenesis. *Nature* 359: 843-845.
- 138 Kuwabara K, Ogawa S, Matsumoto M, Koga S, Clauss M, Pinsky DJ, Lyn P, Leavy J, Witte L, Joseph-Silverstein J, et al. (1995) Hypoxia-mediated induction of acidic/basic fibroblast growth factor and platelet-derived growth factor in mononuclear phagocytes stimulates growth of hypoxic endothelial cells. *Proc Natl Acad Sci U S A* 92: 4606-4610.
- 139 Kuroki M, Voest EE, Amano S, Beerepoot LV, Takashima S, Tolentino M, Kim RY, Rohan RM, Colby KA, Yeo KT, Adamis AP. (1996) Reactive oxygen intermediates increase vascular endothelial growth factor expression in vitro and in vivo. *J Clin Invest* 98: 1667-1675.

REFERENCES

- 140 Cho M, Hunt TK, Hussain MZ. (2001) Hydrogen peroxide stimulates macrophage vascular endothelial growth factor release. *Am J Physiol Heart Circ Physiol* 280: H2357-2363.
- 141 Hackett SF, Schoenfeld CL, Freund J, Gottsch JD, Bhargava S, Campochiaro PA. (1997) Neurotrophic factors, cytokines and stress increase expression of basic fibroblast growth factor in retinal pigmented epithelial cells. *Exp Eye Res* 64: 865-873.
- 142 Schlingemann RO, van Hinsbergh VW. (1997) Role of vascular permeability factor/vascular endothelial growth factor in eye disease. *Br J Ophthalmol* 81: 501-512.
- 143 Pepper MS. (1997) Transforming growth factor-beta: vasculogenesis, angiogenesis, and vessel wall integrity. *Cytokine Growth Factor Rev* 8: 21-43.
- 144 Kliffen M, Sharma HS, Mooy CM, Kerkvliet S, de Jong PT. (1997) Increased expression of angiogenic growth factors in age-related maculopathy. *Br J Ophthalmol* 81: 154-162.
- 145 Frank RN, Amin RH, Elliott D, Puklin JE, Abrams GW. (1996) Basic fibroblast growth factor and vascular endothelial growth factor are present in epiretinal and choroidal neovascular membranes. *Am J Ophthalmol* 122: 393-403.
- 146 Adamis AP, Shima DT, Yeo KT, Yeo TK, Brown LF, Berse B, D'Amore PA, Folkman J. (1993) Synthesis and secretion of vascular permeability factor/vascular endothelial growth factor by human retinal pigment epithelial cells. *Biochem Biophys Res Commun* 193: 631-638.
- 147 Blaauwgeers HG, Holtkamp GM, Rutten H, Witmer AN, Koolwijk P, Partanen TA, Alitalo K, Kroon ME, Kijlstra A, van Hinsbergh VW, Schlingemann RO. (1999) Polarized vascular endothelial growth factor secretion by human retinal pigment epithelium and localization of vascular endothelial growth factor receptors on the inner choriocapillaris. Evidence for a trophic paracrine relation. *Am J Pathol* 155: 421-428.
- 148 Pe'er J, Shweiki D, Itin A, Hemo I, Gnessin H, Keshet E. (1995) Hypoxia-induced expression of vascular endothelial growth factor by retinal cells is a common factor in neovascularizing ocular diseases. *Lab Invest* 72: 638-645.
- 149 Takagi H, King GL, Ferrara N, Aiello LP. (1996) Hypoxia regulates vascular endothelial growth factor receptor KDR/Flk gene expression through adenosine A2 receptors in retinal capillary endothelial cells. *Invest Ophthalmol Vis Sci* 37: 1311-1321.
- 150 Aiello LP, Northrup JM, Keyt BA, Takagi H, Iwamoto MA. (1995) Hypoxic regulation of vascular endothelial growth factor in retinal cells. *Arch Ophthalmol* 113: 1538-1544.
- 151 Liu Y, Cox SR, Morita T, Kourembanas S. (1995) Hypoxia regulates vascular endothelial growth factor gene expression in endothelial cells. Identification of a 5' enhancer. *Circ Res* 77: 638-643.
- 152 Namiki A, Brogi E, Kearney M, Kim EA, Wu T, Couffinhal T, Varticovski L, Isner JM. (1995) Hypoxia induces vascular endothelial growth factor in cultured human endothelial cells. *J Biol Chem* 270: 31189-31195.
- 153 Stavri GT, Zachary IC, Baskerville PA, Martin JF, Erusalimsky JD. (1995) Basic fibroblast growth factor upregulates the expression of vascular endothelial growth factor in vascular smooth muscle cells. Synergistic interaction with hypoxia. *Circulation* 92: 11-14.
- 154 Tsai JC, Goldman CK, Gillespie GY. (1995) Vascular endothelial growth factor in human glioma cell lines: induced secretion by EGF, PDGF-BB, and bFGF. *J Neurosurg* 82: 864-873.
- 155 Kvanta A. (1995) Expression and regulation of vascular endothelial growth factor in choroidal fibroblasts. *Curr Eye Res* 14: 1015-1020.
- 156 Punglia RS, Lu M, Hsu J, Kuroki M, Tolentino MJ, Keough K, Levy AP, Levy NS, Goldberg MA, D'Amato RJ, Adamis AP. (1997) Regulation of vascular endothelial growth factor expression by insulin-like growth factor I. *Diabetes* 46: 1619-1626.



REFERENCES

- 157 Ben-Av P, Crofford LJ, Wilder RL, Hla T. (1995) Induction of vascular endothelial growth factor expression in synovial fibroblasts by prostaglandin E and interleukin-1: a potential mechanism for inflammatory angiogenesis. *FEBS Lett* 372: 83-87.
- 158 Mousa SA, Lorelli W, Campochiaro PA. (1999) Role of hypoxia and extracellular matrix-integrin binding in the modulation of angiogenic growth factors secretion by retinal pigmented epithelial cells. *J Cell Biochem* 74: 135-143.
- 159 Kvanta A, Algvare PV, Berglin L, Seregard S. (1996) Subfoveal fibrovascular membranes in age-related macular degeneration express vascular endothelial growth factor. *Invest Ophthalmol Vis Sci* 37: 1929-1934.
- 160 Lopez PF, Sippy BD, Lambert HM, Thach AB, Hinton DR. (1996) Transdifferentiated retinal pigment epithelial cells are immunoreactive for vascular endothelial growth factor in surgically excised age-related macular degeneration-related choroidal neovascular membranes. *Invest Ophthalmol Vis Sci* 37: 855-868.
- 161 Spilisbury K, Garrett KL, Shen WY, Constable IJ, Rakoczy PE. (2000) Overexpression of vascular endothelial growth factor (VEGF) in the retinal pigment epithelium leads to the development of choroidal neovascularization. *Am J Pathol* 157: 135-144.
- 162 Baffi J, Byrnes G, Chan CC, Csaky KG. (2000) Choroidal neovascularization in the rat induced by adenovirus mediated expression of vascular endothelial growth factor. *Invest Ophthalmol Vis Sci* 41: 3582-3589.
- 163 Yu MJ, Shen WY, Lai MC, Constable IJ, Papadimitriou JM, Rakoczy PE. (2000) The role of vascular endothelial growth factor (VEGF) in abnormal vascular changes in the adult rat eye. *Growth Factors* 17: 301-312.
- 164 Schwesinger C, Yee C, Rohan RM, Jousen AM, Fernandez A, Meyer TN, Poulaki V, Ma JJ, Redmond TM, Liu S, Adamis AP, D'Amato RJ. (2001) Intrachoroidal neovascularization in transgenic mice overexpressing vascular endothelial growth factor in the retinal pigment epithelium. *Am J Pathol* 158: 1161-1172.
- 165 Seo MS, Kwak N, Ozaki H, Yamada H, Okamoto N, Yamada E, Fabbro D, Hofmann F, Wood JM, Campochiaro PA. (1999) Dramatic inhibition of retinal and choroidal neovascularization by oral administration of a kinase inhibitor. *Am J Pathol* 154: 1743-1753.
- 166 Kwak N, Okamoto N, Wood JM, Campochiaro PA. (2000) VEGF is major stimulator in model of choroidal neovascularization. *Invest Ophthalmol Vis Sci* 41: 3158-3164.
- 167 Baxter RC. (2000) Insulin-like growth factor (IGF)-binding proteins: interactions with IGFs and intrinsic bioactivities. *Am J Physiol Endocrinol Metab* 278: E967-976.
- 168 Le Roith D. (1997) Seminars in medicine of the Beth Israel Deaconess Medical Center. Insulin-like growth factors. *N Engl J Med* 336: 633-640.
- 169 Stewart CE, Rotwein P. (1996) Growth, differentiation, and survival: multiple physiological functions for insulin-like growth factors. *Physiol Rev* 76: 1005-1026.
- 170 Grant M, King GL. (1995) IGF-I and blood vessels: Implications for microvascular and macrovascular disease. *Diabetes Reviews* 3: 113-128.
- 171 Hernandez-Sanchez C, Lopez-Carranza A, Alarcon C, de La Rosa EJ, de Pablo F. (1995) Autocrine/paracrine role of insulin-related growth factors in neurogenesis: local expression and effects on cell proliferation and differentiation in retina. *Proc Natl Acad Sci U S A* 92: 9834-9838.
- 172 Spraul CW, Kaven C, Amann J, Lang GK, Lang GE. (2000) Effect of insulin-like growth factors 1 and 2, and glucose on the migration and proliferation of bovine retinal pigment epithelial cells in vitro. *Ophthalmic Res* 32: 244-248.
- 173 Grant MB, Caballero S, Millard WJ. (1993) Inhibition of IGF-I and b-FGF stimulated growth of human retinal endothelial cells by the somatostatin analogue, octreotide: a potential treatment for ocular neovascularization. *Regul Pept* 48: 267-278.

REFERENCES

- 174 Spraul CW, Baldysiak-Figiel A, Lang GK, Lang GE. (2002) Octreotide inhibits growth factor-induced bovine choriocapillary endothelial cells in vitro. *Graefe's Arch Clin Exp Ophthalmol* 240: 227-231.
- 175 Grant MB, Mames RN, Fitzgerald C, Ellis EA, Aboufrikha M, Guy J. (1993) Insulin-like growth factor I acts as an angiogenic agent in rabbit cornea and retina: comparative studies with basic fibroblast growth factor. *Diabetologia* 36: 282-291.
- 176 Danis RP, Bingaman DP. (1997) Insulin-like growth factor-1 retinal microangiopathy in the pig eye. *Ophthalmology* 104: 1661-1669.
- 177 Smith LE, Kopchick JJ, Chen W, Knapp J, Kinose F, Daley D, Foley E, Smith RG, Schaeffer JM. (1997) Essential role of growth hormone in ischemia-induced retinal neovascularization. *Science* 276: 1706-1709.
- 178 Smith LE, Shen W, Perruzzi C, Soker S, Kinose F, Xu X, Robinson G, Driver S, Bischoff J, Zhang B, Schaeffer JM, Senger DR. (1999) Regulation of vascular endothelial growth factor-dependent retinal neovascularization by insulin-like growth factor-1 receptor. *Nat Med* 5: 1390-1395.
- 179 Patel YC. (1999) Somatostatin and its receptor family. *Front Neuroendocrinol* 20: 157-198.
- 180 Klisovic DD, O'Dorisio MS, Katz SE, Sall JW, Balster D, O'Dorisio TM, Craig E, Lubow M. (2001) Somatostatin receptor gene expression in human ocular tissues: RT-PCR and immunohistochemical study. *Invest Ophthalmol Vis Sci* 42: 2193-2201.
- 181 Danesi R, Del Tacca M. (1996) The effects of the somatostatin analog octreotide on angiogenesis in vitro. *Metabolism* 45: 49-50.
- 182 Grant MB, Mames RN, Fitzgerald C, Hazariwala KM, Cooper-DeHoff R, Caballero S, Estes KS. (2000) The efficacy of octreotide in the therapy of severe nonproliferative and early proliferative diabetic retinopathy: a randomized controlled study. *Diabetes Care* 23: 504-509.
- 183 van Hagen PM, Baarsma GS, Mooy CM, Ercoskan EM, ter Averst E, Hofland LJ, Lamberts SW, Kuijpers RW. (2000) Somatostatin and somatostatin receptors in retinal diseases. *Eur J Endocrinol* 143 Suppl 1: S43-51.
- 184 Vikkula M, Boon LM, Carraway KL, 3rd, Calvert JT, Diamonti AJ, Goumnerov B, Pasyk KA, Marchuk DA, Warman ML, Cantley LC, Mulliken JB, Olsen BR. (1996) Vascular dysmorphogenesis caused by an activating mutation in the receptor tyrosine kinase TIE2. *Cell* 87: 1181-1190.
- 185 Maisonpierre PC, Suri C, Jones PF, Bartunkova S, Wiegand SJ, Radziejewski C, Compton D, McClain J, Aldrich TH, Papadopoulos N, Daly TJ, Davis S, Sato TN, Yancopoulos GD. (1997) Angiopoietin-2, a natural antagonist for Tie2 that disrupts in vivo angiogenesis. *Science* 277: 55-60.
- 186 Oh H, Takagi H, Suzuma K, Otani A, Matsumura M, Honda Y. (1999) Hypoxia and vascular endothelial growth factor selectively up-regulate angiopoietin-2 in bovine microvascular endothelial cells. *J Biol Chem* 274: 15732-15739.
- 187 Otani A, Takagi H, Oh H, Koyama S, Matsumura M, Honda Y. (1999) Expressions of angiopoietins and Tie2 in human choroidal neovascular membranes. *Invest Ophthalmol Vis Sci* 40: 1912-1920.
- 188 Green ES, Rendahl KG, Zhou S, Ladner M, Coyne M, Srivastava R, Manning WC, Flannery JG. (2001) Two animal models of retinal degeneration are rescued by recombinant adeno-associated virus-mediated production of FGF-5 and FGF-18. *Mol Ther* 3: 507-515.
- 189 Amin R, Puklin JE, Frank RN. (1994) Growth factor localization in choroidal neovascular membranes of age-related macular degeneration. *Invest Ophthalmol Vis Sci* 35: 3178-3188.
- 190 Kitaoka T, Morse LS, Schneeberger S, Ishigooka H, Hjelmeland LM. (1997) Expression of FGF5 in choroidal neovascular membranes associated with ARMD. *Curr Eye Res* 16: 396-399.

REFERENCES

- 191 Pepper MS, Ferrara N, Orci L, Montesano R. (1992) Potent synergism between vascular endothelial growth factor and basic fibroblast growth factor in the induction of angiogenesis in vitro. *Biochem Biophys Res Commun* 189: 824-831.
- 192 Goto F, Goto K, Weindel K, Folkman J. (1993) Synergistic effects of vascular endothelial growth factor and basic fibroblast growth factor on the proliferation and cord formation of bovine capillary endothelial cells within collagen gels. *Lab Invest* 69: 508-517.
- 193 Asahara T, Bauters C, Zheng LP, Takeshita S, Bunting S, Ferrara N, Symes JF, Isner JM. (1995) Synergistic effect of vascular endothelial growth factor and basic fibroblast growth factor on angiogenesis in vivo. *Circulation* 92: II365-371.
- 194 Kimura H, Spee C, Sakamoto T, Hinton DR, Ogura Y, Tabata Y, Ikada Y, Ryan SJ. (1999) Cellular response in subretinal neovascularization induced by bFGF-impregnated microspheres. *Invest Ophthalmol Vis Sci* 40: 524-528.
- 195 Campochiaro PA, Hackett SF, Viores SA, Freund J, Csaky C, LaRochelle W, Henderer J, Johnson M, Rodriguez IR, Friedman Z, et al. (1994) Platelet-derived growth factor is an autocrine growth stimulator in retinal pigmented epithelial cells. *J Cell Sci* 107: 2459-2469.
- 196 Viores SA, Henderer JD, Mahlow J, Chiu C, Derevjani NL, Larochelle W, Csaky C, Campochiaro PA. (1995) Isoforms of platelet-derived growth factor and its receptors in epiretinal membranes: immunolocalization to retinal pigmented epithelial cells. *Exp Eye Res* 60: 607-619.
- 197 Leschey KH, Hackett SF, Singer JH, Campochiaro PA. (1990) Growth factor responsiveness of human retinal pigment epithelial cells. *Invest Ophthalmol Vis Sci* 31: 839-846.
- 198 Yoshida M, Tanihara H, Yoshimura N. (1992) Platelet-derived growth factor gene expression in cultured human retinal pigment epithelial cells. *Biochem Biophys Res Commun* 189: 66-71.
- 199 Pfeiffer A, Spranger J, Meyer-Schwickerath R, Schatz H. (1997) Growth factor alterations in advanced diabetic retinopathy: a possible role of blood retina barrier breakdown. *Diabetes* 46 Suppl 2: S26-30.
- 200 Spranger J, Meyer-Schwickerath R, Klein M, Schatz H, Pfeiffer A. (1999) Deficient activation and different expression of transforming growth factor-beta isoforms in active proliferative diabetic retinopathy and neovascular eye disease. *Exp Clin Endocrinol Diabetes* 107: 21-28.
- 201 Pertovaara L, Kaipainen A, Mustonen T, Orpana A, Ferrara N, Saksela O, Alitalo K. (1994) Vascular endothelial growth factor is induced in response to transforming growth factor-beta in fibroblastic and epithelial cells. *J Biol Chem* 269: 6271-6274.
- 202 Wahl SM, Hunt DA, Wakefield LM, McCartney-Francis N, Wahl LM, Roberts AB, Sporn MB. (1987) Transforming growth factor type beta induces monocyte chemotaxis and growth factor production. *Proc Natl Acad Sci U S A* 84: 5788-5792.
- 203 Ogata N, Yamamoto C, Miyashiro M, Yamada H, Matsushima M, Uyama M. (1997) Expression of transforming growth factor-beta mRNA in experimental choroidal neovascularization. *Curr Eye Res* 16: 9-18.
- 204 Steele FR, Chader GJ, Johnson LV, Tombran-Tink J. (1993) Pigment epithelium-derived factor: neurotrophic activity and identification as a member of the serine protease inhibitor gene family. *Proc Natl Acad Sci U S A* 90: 1526-1530.
- 205 Karakousis PC, John SK, Behling KC, Surace EM, Smith JE, Hendrickson A, Tang WX, Bennett J, Milam AH. (2001) Localization of pigment epithelium derived factor (PEDF) in developing and adult human ocular tissues. *Mol Vis* 7: 154-163.
- 206 Stellmach V, Crawford SE, Zhou W, Bouck N. (2001) Prevention of ischemia-induced retinopathy by the natural ocular antiangiogenic agent pigment epithelium-derived factor. *Proc Natl Acad Sci U S A* 98: 2593-2597.

REFERENCES

- 207 Mori K, Duh E, Gehlbach P, Ando A, Takahashi K, Pearlman J, Yang HS, Zack DJ, Etyreddy D, Brough DE, Wei LL, Campochiaro PA. (2001) Pigment epithelium-derived factor inhibits retinal and choroidal neovascularization. *J Cell Physiol* 188: 253-263.
- 208 O'Reilly MS. (1997) Angiostatin: an endogenous inhibitor of angiogenesis and of tumor growth. *Exs* 79: 273-294.
- 209 Lai CC, Wu WC, Chen SL, Xiao X, Tsai TC, Huan SJ, Chen TL, Tsai RJ, Tsao YP. (2001) Suppression of choroidal neovascularization by adeno-associated virus vector expressing angiostatin. *Invest Ophthalmol Vis Sci* 42: 2401-2407.
- 210 Drixler TA, Rinkes IH, Ritchie ED, Treffers FW, van Vroonhoven TJ, Gebbink MF, Voest EE. (2001) Angiostatin inhibits pathological but not physiological retinal angiogenesis. *Invest Ophthalmol Vis Sci* 42: 3325-3330.
- 211 Spranger J, Hammes HP, Preissner KT, Schatz H, Pfeiffer AF. (2000) Release of the angiogenesis inhibitor angiostatin in patients with proliferative diabetic retinopathy: association with retinal photocoagulation. *Diabetologia* 43: 1404-1407.
- 212 Macular Photocoagulation Study Group. Laser photocoagulation of subfoveal neovascular lesions of age-related macular degeneration. Updated findings from two clinical trials. (1993) *Arch Ophthalmol* 111: 1200-1209.
- 213 Bressler NM. (2001) Photodynamic therapy of subfoveal choroidal neovascularization in age-related macular degeneration with verteporfin: two-year results of 2 randomized clinical trials--tap report 2. *Arch Ophthalmol* 119: 198-207.
- 214 VIP. Photodynamic therapy of subfoveal choroidal neovascularization in pathologic myopia with verteporfin. 1-year results of a randomized clinical trial--VIP report no. 1. (2001) *Ophthalmology* 108: 841-852.
- 215 Macular Photocoagulation Study Group. Visual outcome after laser photocoagulation for subfoveal choroidal neovascularization secondary to age-related macular degeneration. The influence of initial lesion size and initial visual acuity. (1994) *Arch Ophthalmol* 112: 480-488.
- 216 Chakravarthy U, MacKenzie G. (2000) External beam radiotherapy in exudative age-related macular degeneration: a pooled analysis of phase I data. *Br J Radiol* 73: 305-313.
- 217 Lewis H. (1998) Subfoveal choroidal neovascularization: is there a role for submacular surgery? *Am J Ophthalmol* 126: 127-129.
- 218 Yasukawa T, Kimura H, Tabata Y, Miyamoto H, Honda Y, Ikada Y, Ogura Y. (2000) Active drug targeting with immunoconjugates to choroidal neovascularization. *Curr Eye Res* 21: 952-961.
- 219 Garrett KL, Shen WY, Rakoczy PE. (2001) In vivo use of oligonucleotides to inhibit choroidal neovascularisation in the eye. *J Gene Med* 3: 373-383.
- 220 Ogata N, Otsuji T, Matsushima M, Kimoto T, Yamanaka R, Takahashi K, Wada M, Uyama M, Kaneda Y. (1999) Phosphorothioate oligonucleotides induction into experimental choroidal neovascularization by HVJ-liposome system. *Curr Eye Res* 18: 261-269.
- 221 Gregory C, Bird A. (1995) Cell loss in retinal dystrophies by apoptosis - death by informed consent! *Br J Ophthalmol* 79: 186-190.
- 222 Smith S, Bora N, McCool D, et.al. (1995) Photoreceptor cells in vitiligo mouse die by apoptosis. *Invest Ophthalmol Vis Sci* 36: 2193-2201.
- 223 Tso M, Zhang C, Abler A, et.al. (1994) Apoptosis leads to photoreceptor degeneration in inherited retinal dystrophy of RCS rats. *Invest Ophthalmol Vis Sci* 35: 2693-2699.
- 224 Chan CC, Matteson DM, Li Q, Whitcup SM, Nussenblatt RB. (1997) Apoptosis in patients with posterior uveitis. *Arch Ophthalmol* 115: 1559-1567.

REFERENCES

- 225 Weller M, Heimann K, Bartz-Schmidt KU, Fontana A, Esser P. (1997) CD 95 expression in traumatic proliferative vitreoretinopathy: a target for the induction of apoptosis. *German J Ophthalmol* 5: 332-337.
- 226 Fine BS, Yanoff M. (1979) The retina. In: Fine BS and Yanoff M, eds. *Ocular histology*. 2. Hagerstown, Md: Harper & Row, pp 111-127.
- 227 Ordy JM, Brizzee KR, Hansche J. (1980) Visual acuity and foveal cone density in the retina of the aged rhesus monkey. *Neurobiol Aging* 1: 133-140.
- 228 Engel HM, Dawson WW, Ulshafer RJ, Hines MW, Kessler MJ. (1988) Degenerative changes in maculas of rhesus monkeys. *Ophthalmologica, Basel* 196: 143 - 150.
- 229 Hope GM, Dawson WW, Engel HM, Ulshafer RJ, Kessler MJ, Sherwood MB. (1992) A primate model for age related macular drusen. *Br J Ophthalmol* 76: 11 - 16.
- 230 Monaco W, Wormington C. (1990) The rhesus monkey as an animal model for age-related maculopathy. *Optometry & Vision Science* 67: 532-537.
- 231 Stafford TJ, Anness SH, Fine BS. (1984) Spontaneous degenerative maculopathy in the monkey. *Ophthalmology* 91: 513-521.
- 232 Ulshafer RJ, Engel HM, Dawson WW, Allen CB, Kessler MJ. (1987) Macular degeneration in a community of rhesus monkeys, ultrastructural observations. *Retina* 7: 198-203.
- 233 Broerse JJ, Van Bekkum DW, Hollander CF, Davids JA. (1978) Mortality of monkeys after exposure to fission neutrons and the effect of autologous bone marrow transplantation. *Int J Radiat Biol Relat Stud Phys Chem Med* 34: 253-264.
- 234 Niemer-Tucker MM, Sluysmans MM, Bakker B, Davelaar J, Zurcher C, Broerse JJ. (1995) Long-term consequences of high-dose total-body irradiation on hepatic and renal function in primates. *Int J Radiat Biol* 68: 83-96.
- 235 Kliffen M, Mooy CM, Luider TM, de Jong PTVM. (1994) Analysis of Carbohydrate Structures in Basal Lamellar Deposit in Aging Human Maculae. *Invest Ophthalmol Vis Sci* 35: 2901 - 2905.
- 236 Kliffen M, van der Schaft TL, Mooy CM, de Jong PT. (1997) Morphologic changes in age-related maculopathy. *Microsc Res Tech* 36: 106-122.
- 237 Hogan MJ. (1971) Retina. In: Hogan MJ, Alvarado JA and Esperson Weddell J, eds. *Histology of the human eye An atlas and textbook*. Philadelphia: Saunders, pp 498.
- 238 Eerola AK, Tormanen U, Rainio P, Sormunen R, Bloigu R, Vahakangas K, Lehto VP, Soini Y, Paakko P. (1997) Apoptosis in operated small cell lung carcinoma is inversely related to tumour necrosis and p53 immunoreactivity. *J Pathol* 181: 172-177.
- 239 Bursch W, Paffe S, Putz B, Barthel G, Schulte-Hermann R. (1990) Determination of the length of the histological stages of apoptosis in normal liver and in altered hepatic foci of rats. *Carcinogenesis* 11: 847-853.
- 240 Boulton M, Dayhaw-Barker P. (2001) The role of the retinal pigment epithelium: topographical variation and ageing changes. *Eye* 15: 384-389.
- 241 Suter M, Reme C, Grimm C, Wenzel A, Jaattela M, Esser P, Kociok N, Leist M, Richter C. (2000) Age-related macular degeneration. The lipofusion component N-retinyl-N-retinylidene ethanolamine detaches proapoptotic proteins from mitochondria and induces apoptosis in mammalian retinal pigment epithelial cells. *J Biol Chem* 275: 39625-39630.
- 242 Penfold PL, Provis JM. (1986) Cell death in the development of the human retina: phagocytosis of pyknotic and apoptotic bodies by retinal cells. *Graefes Arch Clin Exp Ophthalmol* 224: 549-553.
- 243 Li S, Chang C, Abler A, Fu J, Tso M, Lam T. (1996) A comparison of continuous versus intermittent light exposure on apoptosis. *Curr Eye Res* 15: 914-922.

REFERENCES

- 244 Shahinfar S, Edward DP, Tso MO. (1991) A pathologic study of photoreceptor cell death in retinal photic injury. *Curr Eye Res* 10: 47-59.
- 245 Schreiber M, Baumann B, Cotten M, Angel P, Wagner EF. (1995) Fos is an essential component of the mammalian UV response. *Embo J* 14: 5338-5349.
- 246 Reddy VM, Zamora RL, Kaplan HJ. (1995) Distribution of growth factors in subfoveal neovascular membranes in age-related macular degeneration and presumed ocular histoplasmosis syndrome. *Am J Ophthalmol* 120: 291-301.
- 247 Ishibashi T, Hata Y, Yoshikawa H, Nakagawa K, Sueishi K, Inomata H. (1997) Expression of vascular endothelial growth factor in experimental choroidal neovascularization. *Graefes Arch Clin Exp Ophthalmol* 235: 159-167.
- 248 Lambouij AC, Kuijpers RW, van Lichtenauer-Kaligis EG, Kliffen M, Baarsma GS, van Hagen PM, Mooy CM. (2000) Somatostatin receptor 2A expression in choroidal neovascularization secondary to age-related macular degeneration. *Invest Ophthalmol Vis Sci* 41: 2329-2335.
- 249 Biancone L, Martino AD, Orlandi V, Conaldi PG, Toniolo A, Camussi G. (1997) Development of inflammatory angiogenesis by local stimulation of Fas in vivo. *J Exp Med* 186: 147-152.
- 250 Jiang S, Wu MW, Sternberg P, Jones DP. (2000) Fas mediates apoptosis and oxidant-induced cell death in cultured hRPE cells. *Invest Ophthalmol Vis Sci* 41: 645-655.
- 251 D'Amore PA. (1994) Mechanisms of retinal and choroidal neovascularization. *Invest Ophthalmol Vis Sci* 35: 3974-3979.
- 252 King GL, Goodman AD, Buzney S, Moses A, Kahn CR. (1985) Receptors and growth-promoting effects of insulin and insulinlike growth factors on cells from bovine retinal capillaries and aorta. *J Clin Invest* 75: 1028-1036.
- 253 Kaven CW, Spraul CW, Zavazava NK, Lang GK, Lang GE. (2000) Growth factor combinations modulate human retinal pigment epithelial cell proliferation. *Curr Eye Res* 20: 480-487.
- 254 Martin DM, Yee D, Feldman EL. (1992) Gene expression of the insulin-like growth factors and their receptors in cultured human retinal pigment epithelial cells. *Brain Res Mol Brain Res* 12: 181-186.
- 255 Kociok N, Heppekausen H, Schraermeyer U, Esser P, Thumann G, Grisanti S, Heimann K. (1998) The mRNA expression of cytokines and their receptors in cultured iris pigment epithelial cells: a comparison with retinal pigment epithelial cells. *Exp Eye Res* 67: 237-250.
- 256 Takagi H, Yoshimura N, Tanihara H, Honda Y. (1994) Insulin-like growth factor-related genes, receptors, and binding proteins in cultured human retinal pigment epithelial cells. *Invest Ophthalmol Vis Sci* 35: 916-923.
- 257 Spoerri PE, Ellis EA, Tarnuzzer RW, Grant MB. (1998) Insulin-like growth factor: receptor and binding proteins in human retinal endothelial cell cultures of diabetic and non-diabetic origin. *Growth Horm IGF Res* 8: 125-132.
- 258 Ulbig MW, Wolfensberger TJ, Hiscott P, Ationu A, Carter ND, Gregor ZJ. (1995) Insulin-like growth factor I (IGF-I) receptor/binding protein in human diabetic epiretinal membranes. *Ger J Ophthalmol* 4: 264-268.
- 259 Gerhardinger C, McClure KD, Romeo G, Podesta F, Lorenzi M. (2001) IGF-I mRNA and signaling in the diabetic retina. *Diabetes* 50: 175-183.
- 260 Jansen M, van Schaik FM, Ricker AT, Bullock B, Woods DE, Gabbay KH, Nussbaum AL, Sussenbach JS, Van den Brande JL. (1983) Sequence of cDNA encoding human insulin-like growth factor I precursor. *Nature* 306: 609-611.

REFERENCES

- 261 Burren CP, Berka JL, Edmondson SR, Werther GA, Batch JA. (1996) Localization of mRNAs for insulin-like growth factor-I (IGF-I), IGF-I receptor, and IGF binding proteins in rat eye. *Invest Ophthalmol Vis Sci* 37: 1459-1468.
- 262 Ocran I, Valentino KL, King MG, Wimpy TH, Rosenfeld RG, Baskin DG. (1989) Localization and structural characterization of insulin-like growth factor receptors in mammalian retina. *Endocrinology* 125: 2407-2413.
- 263 Politi LE, Rotstein NP, Salvador G, Giusto NM, Insua MF. (2001) Insulin-like growth factor-I is a potential trophic factor for amacrine cells. *J Neurochem* 76: 1199-1211.
- 264 Seigel GM, Chiu L, Paxhia A. (2000) Inhibition of neuroretinal cell death by insulin-like growth factor-1 and its analogs. *Mol Vis* 6: 157-163.
- 265 Kermer P, Klocker N, Labes M, Bahr M. (2000) Insulin-like growth factor-I protects axotomized rat retinal ganglion cells from secondary death via PI3-K-dependent Akt phosphorylation and inhibition of caspase-3 In vivo. *J Neurosci* 20: 2-8.
- 266 Waldbillig RJ, Pfeffer BA, Schoen TJ, Adler AA, Shen-Orr Z, Scavo L, LeRoith D, Chader GJ. (1991) Evidence for an insulin-like growth factor autocrine-paracrine system in the retinal photoreceptor-pigment epithelial cell complex. *J Neurochem* 57: 1522-1533.
- 267 Lowe WL, Jr., Florkiewicz RZ, Yorek MA, Spanheimer RG, Albrecht BN. (1995) Regulation of growth factor mRNA levels in the eyes of diabetic rats. *Metabolism* 44: 1038.
- 268 Meyer-Schwickerath R, Pfeiffer A, Blum WF, Freyberger H, Klein M, Losche C, Rollmann R, Schatz H. (1993) Vitreous levels of the insulin-like growth factors I and II, and the insulin-like growth factor binding proteins 2 and 3, increase in neovascular eye disease. Studies in nondiabetic and diabetic subjects. *J Clin Invest* 92: 2620-2625.
- 269 Grant M, Russell B, Fitzgerald C, Merimee TJ. (1986) Insulin-like growth factors in vitreous. Studies in control and diabetic subjects with neovascularization. *Diabetes* 35: 416-420.
- 270 Boulton M, Gregor Z, McLeod D, Charteris D, Jarvis-Evans J, Moriarty P, Khaliq A, Foreman D, Allamby D, Bardsley B. (1997) Intravitreal growth factors in proliferative diabetic retinopathy: correlation with neovascular activity and glycaemic management. *Br J Ophthalmol* 81: 228-233.
- 271 Burgos R, Mateo C, Canton A, Hernandez C, Mesa J, Simo R. (2000) Vitreous levels of IGF-I, IGF binding protein 1, and IGF binding protein 3 in proliferative diabetic retinopathy: a case-control study. *Diabetes Care* 23: 80-83.
- 272 Spranger J, Buhnen J, Jansen V, Krieg M, Meyer-Schwickerath R, Blum WF, Schatz H, Pfeiffer AF. (2000) Systemic levels contribute significantly to increased intraocular IGF- I, IGF-II and IGF-BP3 in proliferative diabetic retinopathy. *Horm Metab Res* 32: 196-200.
- 273 Colas B, Cambillau C, Buscail L, Zeggari M, Esteve JP, Lautre V, Thomas F, Vaysse N, Susini C. (1992) Stimulation of a membrane tyrosine phosphatase activity by somatostatin analogues in rat pancreatic acinar cells. *Eur J Biochem* 207: 1017-1024.
- 274 Klisovic DD, Sall JW, O'Dorisio MS, Katz SE. (2001) Somatostatin and octreotide inhibit IGF-1 mediated tyrosine phosphorylation of IGF-1Rbeta and induction of VEGF gene expression in human RPE cells [ARVO Abstract]. *Invest Ophthalmol Vis Sci* 42: S244. Abstract nr 1316.
- 275 LeRoith D, Clemmons D, Nissley P, Rechler MM. (1992) NIH conference. Insulin-like growth factors in health and disease. *Ann Intern Med* 116: 854-862.
- 276 Gartner MH, Benson JD, Caldwell MD. (1992) Insulin-like growth factors I and II expression in the healing wound. *J Surg Res* 52: 389-394.
- 277 Zhou J, Bondy C. (1992) Insulin-like growth factor-II and its binding proteins in placental development. *Endocrinology* 131: 1230-1240.

REFERENCES

- 278 Arnold DR, Moshayedi P, Schoen TJ, Jones BE, Chader GJ, Waldbillig RJ. (1993) Distribution of IGF-I and -II, IGF binding proteins (IGFBPs) and IGFBP mRNA in ocular fluids and tissues: potential sites of synthesis of IGFBPs in aqueous and vitreous. *Exp Eye Res* 56: 555-565.
- 279 Miyamura N, Mishima K, Honda S, Aotaki-Keen AE, Morse LS, Handa JT, Hjelmeland LM. (2001) Age and topographic variation of insulin-like growth factor-binding protein 2 in the human rpe. *Invest Ophthalmol Vis Sci* 42: 1626-1630.
- 280 Lee WH, Javedan S, Bondy CA. (1992) Coordinate expression of insulin-like growth factor system components by neurons and neuroglia during retinal and cerebellar development. *J Neurosci* 12: 4737-4744.
- 281 Lewis F, Maughan NJ, Smith V, Hillan K, Quirke P. (2001) Unlocking the archive--gene expression in paraffin-embedded tissue. *J Pathol* 195: 66-71.
- 282 Ferry RJ, Jr., Katz LE, Grimberg A, Cohen P, Weinzimer SA. (1999) Cellular actions of insulin-like growth factor binding proteins. *Horm Metab Res* 31: 192-202.
- 283 Baxter RC, Saunders H. (1992) Radioimmunoassay of insulin-like growth factor-binding protein-6 in human serum and other body fluids. *J Endocrinol* 134: 133-139.
- 284 DeChiara TM, Efstratiadis A, Robertson EJ. (1990) A growth-deficiency phenotype in heterozygous mice carrying an insulin-like growth factor II gene disrupted by targeting. *Nature* 345: 78-80.
- 285 Jones JJ, Gockerman A, Busby WH, Jr., Wright G, Clemmons DR. (1993) Insulin-like growth factor binding protein 1 stimulates cell migration and binds to the alpha 5 beta 1 integrin by means of its Arg-Gly-Asp sequence. *Proc Natl Acad Sci U S A* 90: 10553-10557.
- 286 Valentinis B, Bhala A, DeAngelis T, Baserga R, Cohen P. (1995) The human insulin-like growth factor (IGF) binding protein-3 inhibits the growth of fibroblasts with a targeted disruption of the IGF-I receptor gene. *Mol Endocrinol* 9: 361-367.
- 287 Rajah R, Valentinis B, Cohen P. (1997) Insulin-like growth factor (IGF)-binding protein-3 induces apoptosis and mediates the effects of transforming growth factor-beta1 on programmed cell death through a p53- and IGF-independent mechanism. *J Biol Chem* 272: 12181-12188.
- 288 Leal SM, Huang SS, Huang JS. (1999) Interactions of high affinity insulin-like growth factor-binding proteins with the type V transforming growth factor-beta receptor in mink lung epithelial cells. *J Biol Chem* 274: 6711-6717.
- 289 Averbukh E, Weiss O, Halpert M, Yanko R, Moshe R, Nephesh I, Flyvbjerg A, Yanko L, Raz I. (1998) Gene expression of insulin-like growth factor-I, its receptor and binding proteins in retina under hypoxic conditions. *Metabolism* 47: 1331-1336.
- 290 Yi X, Ogata N, Komada M, Yamamoto C, Takahashi K, Omori K, Uyama M. (1997) Vascular endothelial growth factor expression in choroidal neovascularization in rats. *Graefes Arch Clin Exp Ophthalmol* 235: 313-319.
- 291 Pe'er J, Folberg R, Itin A, Gnessin H, Hemo I, Keshet E. (1998) Vascular endothelial growth factor upregulation in human central retinal vein occlusion. *Ophthalmology* 105: 412-416.
- 292 Johnson J, Wong H, Walsh JH, Brecha NC. (1998) Expression of the somatostatin subtype 2A receptor in the rabbit retina. *J Comp Neurol* 393: 93-101.
- 293 Helboe L, Moller M. (1999) Immunohistochemical localization of somatostatin receptor subtypes sst1 and sst2 in the rat retina. *Invest Ophthalmol Vis Sci* 40: 2376-2382.
- 294 Mori M, Aihara M, Shimizu T. (1997) Differential expression of somatostatin receptors in the rat eye: SSTR4 is intensely expressed in the iris/ciliary body. *Neurosci Lett* 223: 185-188.
- 295 Grossniklaus HE, Green WR. (1998) Histopathologic and ultrastructural findings of surgically excised choroidal neovascularization. Submacular Surgery Trials Research Group. *Arch Ophthalmol* 116: 745-749.



REFERENCES

- 296 Gu YZ, Schonbrunn A. (1997) Coupling specificity between somatostatin receptor sst2A and G proteins: isolation of the receptor-G protein complex with a receptor antibody. *Mol Endocrinol* 11: 527-537.
- 297 Hofland LJ, Liu Q, Van Koetsveld PM, Zuijderwijk J, Van Der Ham F, De Krijger RR, Schonbrunn A, Lamberts SW. (1999) Immunohistochemical detection of somatostatin receptor subtypes sst1 and sst2A in human somatostatin receptor positive tumors. *J Clin Endocrinol Metab* 84: 775-780.
- 298 Ferone D, van Hagen PM, van Koetsveld PM, Zuijderwijk J, Mooy DM, Lichtenauer-Kaligis EG, Colao A, Bogers AJ, Lombardi G, Lamberts SW, Hofland LJ. (1999) In vitro characterization of somatostatin receptors in the human thymus and effects of somatostatin and octreotide on cultured thymic epithelial cells. *Endocrinology* 140: 373-380.
- 299 Sagar SM, Marshall PE, Onesti ST, Landis DM. (1986) Somatostatin immunocytochemistry in the rabbit retina. *Invest Ophthalmol Vis Sci* 27: 316-322.
- 300 Zalutsky RA, Miller RF. (1990) The physiology of somatostatin in the rabbit retina. *J Neurosci* 10: 383-393.
- 301 Mallet B, Vialettes B, Haroche S, Escoffier P, Gastaut P, Taubert JP, Vague P. (1992) Stabilization of severe proliferative diabetic retinopathy by long-term treatment with SMS 201-995. *Diabete Metab* 18: 438-444.
- 302 Shumak SL, Grossman LD, Chew E, Kozousek V, George SR, Singer W, Harris AG, Zinman B. (1990) Growth hormone suppression and nonproliferative diabetic retinopathy: a preliminary feasibility study. *Clin Invest Med* 13: 287-292.
- 303 Kirkegaard C, Norgaard K, Snorgaard O, Bek T, Larsen M, Lund-Andersen H. (1990) Effect of one year continuous subcutaneous infusion of a somatostatin analogue, octreotide, on early retinopathy, metabolic control and thyroid function in Type I (insulin-dependent) diabetes mellitus. *Acta Endocrinol (Copenh)* 122: 766-772.
- 304 Reubi JC, Laissue JA, Waser B, Steffen DL, Hipkin RW, Schonbrunn A. (1999) Immunohistochemical detection of somatostatin sst2a receptors in the lymphatic, smooth muscular, and peripheral nervous systems of the human gastrointestinal tract: facts and artifacts. *J Clin Endocrinol Metab* 84: 2942-2950.
- 305 ten Bokum AM, Hofland LJ, de Jong G, Bouma J, Melief MJ, Kwekkeboom DJ, Schonbrunn A, Mooy CM, Laman JD, Lamberts SW, van Hagen PM. (1999) Immunohistochemical localization of somatostatin receptor sst2A in sarcoid granulomas. *Eur J Clin Invest* 29: 630-636.
- 306 Sunderkotter C, Goebeler M, Schulze-Osthoff K, Bhardwaj R, Sorg C. (1991) Macrophage-derived angiogenesis factors. *Pharmacol Ther* 51: 195-216.
- 307 Chao TC, Cheng HP, Walter RJ. (1995) Somatostatin and macrophage function: modulation of hydrogen peroxide, nitric oxide and tumor necrosis factor release. *Regul Pept* 58: 1-10.
- 308 Peluso G, Petillo O, Melone MA, Mazzarella G, Ranieri M, Tajana GF. (1996) Modulation of cytokine production in activated human monocytes by somatostatin. *Neuropeptides* 30: 443-451.
- 309 Komorowski J, Stepien H. (1995) Somatostatin (SRIF) stimulates the release of interleukin-6 (IL-6) from human peripheral blood monocytes (PBM) in vitro. *Neuropeptides* 29: 77-81.
- 310 ten Bokum AM, Lichtenauer-Kaligis EG, Melief MJ, van Koetsveld PM, Bruns C, van Hagen PM, Hofland LJ, Lamberts SW, Hazenberg MP. (1999) Somatostatin receptor subtype expression in cells of the rat immune system during adjuvant arthritis. *J Endocrinol* 161: 167-175.
- 311 Ferriero DM, Head VA, Edwards RH, Sagar SM. (1990) Somatostatin mRNA and molecular forms during development of the rat retina. *Brain Res Dev Brain Res* 57: 15-19.
- 312 Larsen JN, Bersani M, Olcese J, Holst JJ, Moller M. (1990) Somatostatin and prosomatostatin in the retina of the rat: an immunohistochemical, in-situ hybridization, and chromatographic study. *Vis Neurosci* 5: 441-452.

REFERENCES

- 313 Yamaguchi K, Gaur VP, Spira AW, Turner JE. (1990) Cellular localization of somatostatin mRNA in rat retina. *Neuropeptides* 17: 13-16.
- 314 Bergink GJ, Hoyng CB, van der Maazen RW, Vingerling JR, van Daal WA, Deutman AF. (1998) A randomized controlled clinical trial on the efficacy of radiation therapy in the control of subfoveal choroidal neovascularization in age-related macular degeneration: radiation versus observation. *Graefes Arch Clin Exp Ophthalmol* 236: 321-325.
- 315 Chakravarthy U, Houston RF, Archer DB. (1993) Treatment of age-related subfoveal neovascular membranes by teletherapy: a pilot study. *Br J Ophthalmol* 77: 265-273.
- 316 Finger PT, Berson A, Sherr D, Riley R, Balkin RA, Bosworth JL. (1996) Radiation therapy for subretinal neovascularization. *Ophthalmology* 103: 878-889.
- 317 Hart PM, Chakravarthy U, MacKenzie G, Archer DB, Houston RF. (1996) Teletherapy for subfoveal choroidal neovascularisation of age-related macular degeneration: results of follow up in a non-randomised study. *Br J Ophthalmol* 80: 1046-1050.
- 318 Kobayashi H, Kobayashi K. (2000) Age-related macular degeneration: long-term results of radiotherapy for subfoveal neovascular membranes. *Am J Ophthalmol* 130: 617-635.
- 319 Krott R, Staar S, Muller RP, Bartz-Schmidt KU, Esser P, Heimann K. (1998) External beam radiation in patients suffering from exudative age-related macular degeneration. A matched-pairs study and 1-year clinical follow-up. *Graefes Arch Clin Exp Ophthalmol* 236: 916-921.
- 320 Marcus DM, Sheils W, Johnson MH, McIntosh SB, Leibach DB, Maguire A, Alexander J, Samy CN. (2001) External beam irradiation of subfoveal choroidal neovascularization complicating age-related macular degeneration: one-year results of a prospective, double-masked, randomized clinical trial. *Arch Ophthalmol* 119: 171-180.
- 321 Mauget-Faysse M, Chiquet C, Milea D, Romestaing P, Gerard JP, Martin P, Koenig F. (1999) Long term results of radiotherapy for subfoveal choroidal neovascularisation in age related macular degeneration. *Br J Ophthalmol* 83: 923-928.
- 322 Radiation Therapy for Age-related Macular Degeneration. A prospective, randomized, double-masked trial on radiation therapy for neovascular age-related macular degeneration (RAD Study). (1999) *Ophthalmology* 106: 2239-2247.
- 323 Sasai K, Murata R, Mandai M, Takahashi M, Ogura Y, Ngata Y, Nishimura Y, Hiraoka M. (1997) Radiation therapy for ocular choroidal neovascularization (phase I/II study): preliminary report. *Int J Radiat Oncol Biol Phys* 39: 173-178.
- 324 Stalmans P, Leys A, Van Limbergen E. (1997) External beam radiotherapy (20 Gy, 2 Gy fractions) fails to control the growth of choroidal neovascularization in age-related macular degeneration: a review of 111 cases. *Retina* 17: 481-492.
- 325 Archambeau JO, Mao XW, Yonemoto LT, Slater JD, Friedrichsen E, Teichman S, Preston W, Slater JM. (1998) What is the role of radiation in the treatment of subfoveal membranes: review of radiobiologic, pathologic, and other considerations to initiate a multimodality discussion. *Int J Radiat Oncol Biol Phys* 40: 1125-1136.
- 326 Chakravarthy U, Gardiner TA, Archer DB, Maguire CJ. (1989) A light microscopic and autoradiographic study of non-irradiated and irradiated ocular wounds. *Curr Eye Res* 8: 337-348.
- 327 Hart PM, Archer DB, Chakravarthy U. (1995) Asymmetry of disciform scarring in bilateral disease when one eye is treated with radiotherapy. *Br J Ophthalmol* 79: 562-568.
- 328 Valanconny C, Koenig F, Benchaboune M, Goyet D, Mezmate K, Schmitt T, Maugery J. (2000) [Complications of radiotherapy in patients with age-related macular degeneration (AMD). A study of 48 cases]. *J Fr Ophthalmol* 23: 151-157.
- 329 Haas A, Prettenhofer U, Stur M, Hanselmayer R, Feigl B, Berghold A, Langmann G, Faulborn J. (2000) Morphologic characteristics of disciform scarring after radiation treatment for age-related macular degeneration. *Ophthalmology* 107: 1358-1363.

REFERENCES

- 330 Spaide RF, Leys A, Herrmann-Delemazure B, Stalmans P, Tittl M, Yannuzzi LA, Burke KM, Fisher YL, Freund KB, Guyer DR, Slakter JS, Sorenson JA. (1999) Radiation-associated choroidal neovascuopathy. *Ophthalmology* 106: 2254-2260.
- 331 Amoaku WM, Mahon GJ, Gardiner TA, Frew L, Archer DB. (1992) Late ultrastructural changes in the retina of the rat following low- dose X-irradiation. *Graefes Arch Clin Exp Ophthalmol* 230: 569-574.
- 332 Archer DB, Amoaku WM, Gardiner TA. (1991) Radiation retinopathy--clinical, histopathological, ultrastructural and experimental correlations. *Eye* 5: 239-251.
- 333 Robbins SL. (1997) Environmental diseases. In: Kumar V, Cotran RS and Robbins SL, eds. Basic Pathology. 6th. Philadelphia: WB Saunders company, pp 241-242.
- 334 Miyamoto H, Kimura H, Yasukawa T, Honda Y, Tabata Y, Ikada Y, Sasai K, Ogura Y. (1999) Effect of focal X-ray irradiation on experimental choroidal neovascularization. *Invest Ophthalmol Vis Sci* 40: 1496-1502.
- 335 Bains HS, Samuel S, Behzadien AM, Caldwell RB, Liou G, Marcus DM. (2000) Effects of radiotherapy on cultured RPE, retinal and choroidal endothelial cells [ARVO Abstract]. *Invest Ophthalmol Vis Sci* 41: S838 Abstract nr 4453.
- 336 Farkas RH, Grosskreutz CL. (2001) Apoptosis, neuroprotection, and retinal ganglion cell death: an overview. *Int Ophthalmol Clin* 41: 111-130.
- 337 Merimee T. (1997) The interface between diabetic retinopathy, diabetes management, and insulin-like growth factors. *J Clin Endocrinol Metab* 82: 2806-2808.
- 338 Janssen JA, Lamberts SW. (2000) Circulating IGF-I and its protective role in the pathogenesis of diabetic angiopathy. *Clin Endocrinol (Oxf)* 52: 1-9.
- 339 Juul A, Holm K, Kastrup KW, Pedersen SA, Michaelsen KF, Scheike T, Rasmussen S, Muller J, Skakkebaek NE. (1997) Free insulin-like growth factor I serum levels in 1430 healthy children and adults, and its diagnostic value in patients suspected of growth hormone deficiency. *J Clin Endocrinol Metab* 82: 2497-2502.
- 340 Kuijpers RW, Baarsma S, van Hagen PM. (1998) Treatment of cystoid macular edema with octreotide. *N Engl J Med* 338: 624-626.
- 341 Miller JW. (1997) Vascular endothelial growth factor and ocular neovascularization. *Am J Pathol* 151: 13-23.
- 342 Schachat AP, Hyman L, Leske MC, Connell AM, Wu SY. (1995) Features of age-related macular degeneration in a black population. The Barbados Eye Study Group. *Arch Ophthalmol* 113: 728-735.

