

## References

1. Struhl K: Fundamentally different logic of gene regulation in eukaryotes and prokaryotes. *Cell* 1999, 98:1-4.
2. Weintraub H, Groudine M: Chromosomal subunits in active genes have an altered conformation. *Science* 1976, 193:848-856.
3. Reeves R: Transcriptionally active chromatin. *Biochim Biophys Acta* 1984, 782:343-393.
4. Blackwood EM, Kadonaga JT: Going the distance: a current view of enhancer action. *Science* 1998, 281:61-63.
5. Albright SR, Tjian R: TAFs revisited: more data reveal new twists and confirm old ideas. *Gene* 2000, 242:1-13.
6. Featherstone M: Coactivators in transcription initiation: here are your orders. *Curr Opin Genet Dev* 2002, 12:149-155.
7. Kollias G, Wrighton N, Hurst J, Grosveld F: Regulated expression of human A gamma-, beta-, and hybrid gamma beta-globin genes in transgenic mice: manipulation of the developmental expression patterns. *Cell* 1986, 46:89-94.
8. Groudine M, Eisenman R, Gelinas R, Weintraub H: Developmental aspects of chromatin structure and gene expression. *Prog Clin Biol Res* 1983, 134:159-182.
9. de Villiers J, Olson L, Banerji J, Schaffner W: Analysis of the transcriptional enhancer effect. *Cold Spring Harb Symp Quant Biol* 1983, 47:911-919.
10. Dillon N, Sabbattini P: Functional gene expression domains: defining the functional unit of eukaryotic gene regulation. *Bioessays* 2000, 22:657-665.
11. Martin DI: Transcriptional enhancers--on/off gene regulation as an adaptation to silencing in higher eukaryotic nuclei. *Trends Genet* 2001, 17:444-448.
12. Walters MC, Fiering S, Eidemiller J, Magis W, Groudine M, Martin DI: Enhancers increase the probability but not the level of gene expression. *Proc Natl Acad Sci U S A* 1995, 92:7125-7129.
13. Kollias G, Hurst J, deBoer E, Grosveld F: The human beta-globin gene contains a downstream developmental specific enhancer. *Nucleic Acids Res* 1987, 15:5739-5747.
14. Behringer RR, Hammer RE, Brinster RL, Palmiter RD, Townes TM: Two 3' sequences direct adult erythroid-specific expression of human beta-globin genes in transgenic mice. *Proc Natl Acad Sci U S A* 1987, 84:7056-7060.
15. Ellis J, Talbot D, Dillon N, Grosveld F: Synthetic human beta-globin 5'HS2 constructs function as locus control regions only in multicopy transgene concatamers. *Embo J* 1993, 12:127-134.
16. Grosveld F, Antoniou M, van Assendelft GB, de Boer E, Hurst J, Kollias G, MacFarlane F, Wrighton N: The regulation of expression of human beta-globin genes. *Prog Clin Biol Res* 1987, 251:133-144.
17. Bonifer C: Developmental regulation of eukaryotic gene loci: which cis-regulatory information is required? *Trends Genet* 2000, 16:310-315.
18. Li Q, Peterson KR, Fang X, Stamatoyannopoulos G: Locus control regions. *Blood* 2002, 100:3077-3086.
19. Stamatoyannopoulos G, Grosveld F: Hemoglobin switching. In: *The molecular basis of blood diseases* Edited by Stamatoyannopoulos G, Majerus P, Perlmutter R, Varmus H. pp. 135-182. Philadelphia, PA: W.B. Saunders; 2001: 135-182.
20. de Laat W, Grosveld F: Spatial organization of gene expression: the active chromatin hub. *Chromosome Res* 2003, in press.
21. Magram J, Chada K, Costantini F: Developmental regulation of a cloned adult beta-globin gene in transgenic mice. *Nature* 1985, 315:338-340.
22. Kioussis D, Vanin E, deLange T, Flavell RA, Grosveld FG: Beta-globin gene inactivation by DNA translocation in gamma beta-thalassaemia. *Nature* 1983, 306:662-666.
23. Driscoll MC, Dobkin CS, Alter BP: Gamma delta beta-thalassemia due to a de novo mutation deleting the 5' beta-globin gene activation-region hypersensitive sites. *Proc Natl Acad Sci U S A* 1989, 86:7470-7474.
24. Epner E, Reik A, Cimborra D, Telling A, Bender MA, Fiering S, Enver T, Martin DI, Kennedy M, Keller G, Groudine M: The beta-globin LCR is not necessary for an open chromatin structure or developmentally regulated transcription of the native mouse beta-globin locus. *Mol Cell* 1998, 2:447-455.
25. Reik A, Telling A, Zitnik G, Cimborra D, Epner E, Groudine M: The locus control region is necessary for gene expression in the human beta-globin locus but not the maintenance of an open chromatin structure in erythroid cells. *Mol Cell Biol* 1998, 18:5992-6000.
26. Bender MA, Bulger M, Close J, Groudine M: Beta-globin gene switching and DNase I sensitivity of the endogenous beta-globin locus in mice do not require the locus control region. *Mol Cell* 2000, 5:387-393.
27. Festerstein R, Tolaini M, Corbella P, Mamalaki C, Parrington J, Fox M, Miliou A, Jones M, Kioussis D: Locus control region function and heterochromatin-induced position effect variegation. *Science* 1996, 271:1123-1125.

28. Milot E, Strouboulis J, Trimborn T, Wijgerde M, de Boer E, Langeveld A, Tan-Un K, Vergeer W, Yannoutsos N, Grosveld F, Fraser P: Heterochromatin effects on the frequency and duration of LCR-mediated gene transcription. *Cell* 1996, 87:105-114.
29. Kellum R, Schedl P: A position-effect assay for boundaries of higher order chromosomal domains. *Cell* 1991, 64:941-950.
30. Kellum R, Schedl P: A group of scs elements function as domain boundaries in an enhancer- blocking assay. *Mol Cell Biol* 1992, 12:2424-2431.
31. West AG, Gaszner M, Felsenfeld G: Insulators: many functions, many mechanisms. *Genes Dev* 2002, 16:271-288.
32. Vazquez J, Schedl P: Deletion of an insulator element by the mutation facet-strawberry in *Drosophila melanogaster*. *Genetics* 2000, 155:1297-1311.
33. Chung JH, Whiteley M, Felsenfeld G: A 5' element of the chicken beta-globin domain serves as an insulator in human erythroid cells and protects against position effect in *Drosophila*. *Cell* 1993, 74:505-514.
34. Bell AC, West AG, Felsenfeld G: The protein CTCF is required for the enhancer blocking activity of vertebrate insulators. *Cell* 1999, 98:387-396.
35. Wai AW, Gillemans N, Raguz-Bolognani S, Pruzina S, Zafarana G, Meijer D, Philipsen S, Grosveld F: Characterization of HS5 of the human beta-globin Locus Control Region: a developmental stage-specific border in erythroid cells. *EMBO J* 2003, in press.
36. Bell AC, Felsenfeld G: Stopped at the border: boundaries and insulators. *Curr Opin Genet Dev* 1999, 9:191-198.
37. Chung JH, Bell AC, Felsenfeld G: Characterization of the chicken beta-globin insulator. *Proc Natl Acad Sci U S A* 1997, 94:575-580.
38. Pikaart MJ, Recillas-Targa F, Felsenfeld G: Loss of transcriptional activity of a transgene is accompanied by DNA methylation and histone deacetylation and is prevented by insulators. *Genes Dev* 1998, 12:2852-2862.
39. Bulger M, Schubeler D, Bender MA, Hamilton J, Farrell CM, Hardison RC, Groudine M: A Complex Chromatin Landscape Revealed by Patterns of Nuclease Sensitivity and Histone Modification within the Mouse beta-Globin Locus. *Mol Cell Biol* 2003, 23:5234-5244.
40. Woychik NA, Hampsey M: The RNA polymerase II machinery: structure illuminates function. *Cell* 2002, 108:453-463.
41. Hartzog GA: Transcription elongation by RNA polymerase II. *Curr Opin Genet Dev* 2003, 13:119-126.
42. Gregory PD, Schmid A, Zavari M, Munsterkotter M, Horz W: Chromatin remodelling at the PHO8 promoter requires SWI-SNF and SAGA at a step subsequent to activator binding. *Embo J* 1999, 18:6407-6414.
43. Reinke H, Gregory PD, Horz W: A transient histone hyperacetylation signal marks nucleosomes for remodeling at the PHO8 promoter in vivo. *Mol Cell* 2001, 7:529-538.
44. Shang Y, Hu X, DiRenzo J, Lazar MA, Brown M: Cofactor dynamics and sufficiency in estrogen receptor-regulated transcription. *Cell* 2000, 103:843-852.
45. Agalioti T, Lomvardas S, Parekh B, Yie J, Maniatis T, Thanos D: Ordered recruitment of chromatin modifying and general transcription factors to the IFN-beta promoter. *Cell* 2000, 103:667-678.
46. Lomvardas S, Thanos D: Nucleosome sliding via TBP DNA binding in vivo. *Cell* 2001, 106:685-696.
47. Soutoglou E, Viollet B, Vaxillaire M, Yaniv M, Pontoglio M, Talianidis I: Transcription factor-dependent regulation of CBP and P/CAF histone acetyltransferase activity. *Embo J* 2001, 20:1984-1992.
48. Hatzis P, Talianidis I: Dynamics of enhancer-promoter communication during differentiation-induced gene activation. *Mol Cell* 2002, 10:1467-1477.
49. Strahl BD, Allis CD: The language of covalent histone modifications. *Nature* 2000, 403:41-45.
50. Sterner DE, Berger SL: Acetylation of histones and transcription-related factors. *Microbiol Mol Biol Rev* 2000, 64:435-459.
51. Peterson CL: HDAC's at work: everyone doing their part. *Mol Cell* 2002, 9:921-922.
52. Kouzarides T: Histone methylation in transcriptional control. *Curr Opin Genet Dev* 2002, 12:198-209.
53. Jenuwein T, Allis CD: Translating the histone code. *Science* 2001, 293:1074-1080.
54. Boyes J, Byfield P, Nakatani Y, Ogryzko V: Regulation of activity of the transcription factor GATA-1 by acetylation. *Nature* 1998, 396:594-598.
55. Zhang W, Bieker JJ: Acetylation and modulation of erythroid Kruppel-like factor (EKLF) activity by interaction with histone acetyltransferases. *Proc Natl Acad Sci U S A* 1998, 95:9855-9860.
56. Chen CJ, Deng Z, Kim AJ, Blobel GA, Lieberman PM: Stimulation of CREB binding protein nucleosomal histone acetyltransferase activity by a class of transcriptional activators. *Mol Cell Biol* 2001, 21:476-487.
57. Peterson CL: Chromatin remodeling: nucleosomes bulging at the seams. *Curr Biol* 2002, 12:R245-247.
58. Liu R, Liu H, Chen X, Kirby M, Brown PO, K. Z: Regulation of CSF1 promoter by the SWI/SNF-like BAF complex. *Cell* 2001, 106:309-318.
59. Krebs JE, Fry CJ, Samuels ML, Peterson CL: Global role for chromatin remodeling enzymes in mitotic gene expression. *Cell* 2000, 102:587-598.

60. Ahringer J: NuRD and SIN3 histone deacetylase complexes in development. *Trends Genet* 2000, 16:351-356.
61. Kingston RE, Narlikar GJ: ATP-dependent remodeling and acetylation as regulators of chromatin fluidity. *Genes Dev* 1999, 13:2339-2352.
62. Peterson CL: Chromatin remodeling enzymes: taming the machines. Third in review series on chromatin dynamics. *EMBO Rep* 2002, 3:319-322.
63. Armstrong JA, Bieker JJ, Emerson BM: A SWI/SNF-related chromatin remodeling complex, E-RC1, is required for tissue-specific transcriptional regulation by EKLF in vitro. *Cell* 1998, 95:93-104.
64. Kadam S, McAlpine GS, Phelan ML, Kingston RE, Jones KA, Emerson BM: Functional selectivity of recombinant mammalian SWI/SNF subunits. *Genes Dev* 2000, 14:2441-2451.
65. Shao Z, Raible F, Mollaaghababa R, Guyon JR, Wu CT, Bender W, Kingston RE: Stabilization of chromatin structure by PRC1, a Polycomb complex. *Cell* 1999, 98:37-46.
66. Francis NJ, Saurin AJ, Shao Z, Kingston RE: Reconstitution of a functional core polycomb repressive complex. *Mol Cell* 2001, 8:545-556.
67. Ouyang L, Chen X, Bieker JJ: Regulation of erythroid Kruppel-like factor (EKLF) transcriptional activity by phosphorylation of a protein kinase casein kinase II site within its interaction domain. *J Biol Chem* 1998, 273:23019-23025.
68. Crossley M, Orkin SH: Phosphorylation of the erythroid transcription factor GATA-1. *J Biol Chem* 1994, 269:16589-16596.
69. Casteel D, Suhasini M, Gudi T, Naima R, Pilz RB: Regulation of the erythroid transcription factor NF-E2 by cyclic adenosine monophosphate-dependent protein kinase. *Blood* 1998, 91:3193-3201.
70. Amrolia PJ, Ramamurthy L, Saluja D, Tanese N, Jane SM, Cunningham JM: The activation domain of the enhancer binding protein p45NF-E2 interacts with TAFII130 and mediates long-range activation of the alpha- and beta-globin gene loci in an erythroid cell line. *Proc Natl Acad Sci U S A* 1998, 94:10051-10056.
71. de Boer E, Rodriguez P, Bonte E, Krijgsveld J, Katsantoni E, Heck A, Grosveld F, Strouboulis J: Efficient biotinylation and single-step purification of tagged transcription factors in mammalian cells and transgenic mice. *Proc Natl Acad Sci U S A* 2003, 100:7480-7485.
72. Armstrong JA, Emerson BM: NF-E2 disrupts chromatin structure at human beta-globin locus control region hypersensitive site 2 in vitro. *Mol Cell Biol* 1996, 16:5634-5644.
73. Bagga R, Armstrong JA, Emerson BM: Role of chromatin structure and distal enhancers in tissue-specific transcriptional regulation in vitro. *Cold Spring Harb Symp Quant Biol* 1998, 63:569-576.
74. Cirillo LA, Lin FR, Cuesta I, Friedman D, Jarnik M, Zaret KS: Opening of compacted chromatin by early developmental transcription factors HNF3 (FoxA) and GATA-4. *Mol Cell* 2002, 9:279-289.
75. Droge P, Muller-Hill B: High local protein concentrations at promoters: strategies in prokaryotic and eukaryotic cells. *Bioessays* 2001, 23:179-183.
76. White J, Stelzer E: Photobleaching GFP reveals protein dynamics inside live cells. *Trends Cell Biol* 1999, 9:61-65.
77. Phair RD, Misteli T: High mobility of proteins in the mammalian cell nucleus. *Nature* 2000, 404:604-609.
78. Wilson KL: The nuclear envelope, muscular dystrophy and gene expression. *Trends Cell Biol* 2000, 10:125-129.
79. Allen TD, Cronshaw JM, Bagley S, Kiseleva E, Goldberg MW: The nuclear pore complex: mediator of translocation between nucleus and cytoplasm. *J Cell Sci* 2000, 113:1651-1659.
80. Wenthe SR: Gatekeepers of the nucleus. *Science* 2000, 288:1374-1377.
81. Moir RD, Yoon M, Khuon S, Goldman RD: Nuclear lamins A and B1: different pathways of assembly during nuclear envelope formation in living cells. *J Cell Biol* 2000, 151:1155-1168.
82. Haraguchi T, Koujin T, Hayakawa T, Kaneda T, Tsutsumi C, Imamoto N, Akazawa C, Sukegawa J, Yoneda Y, Hiraoka Y: Live fluorescence imaging reveals early recruitment of emerin, LBR, RanBP2, and Nup153 to reforming functional nuclear envelopes. *J Cell Sci* 2000, 113:779-794.
83. Broers JL, Machiels BM, van Eys GJ, Kuijpers HJ, Manders EM, van Driel R, Ramaekers FC: Dynamics of the nuclear lamina as monitored by GFP-tagged A-type lamins. *J Cell Sci* 1999, 112:3463-3475.
84. Daigle N, Beaudouin J, Hartnell L, Imreh G, Hallberg E, Lippincott-Schwartz J, J. E: Nuclear pore complexes form immobile networks and have a very low turnover in live mammalian cells. *J Cell Biol* 2001, 154:71-84.
85. Lyman SK, Gerace L: Nuclear pore complexes: dynamics in unexpected places. *J Cell Biol* 2001, 154:17-20.
86. Li G, Sudlow G, Belmont AS: Interphase cell cycle dynamics of a late-replicating, heterochromatic homogeneously staining region: precise choreography of condensation/decondensation and nuclear positioning. *J Cell Biol* 1998, 140:975-989.
87. Andrulis ED, Neiman AM, Zappulla DC, Sternglanz R: Perinuclear localization of chromatin facilitates transcriptional silencing. *Nature* 1998, 394:592-595.
88. Laroche T, Martin SG, Tsai-Pflugfelder M, Gasser SM: The dynamics of yeast telomeres and silencing proteins through the cell cycle. *J Struct Biol* 1998, 129:159-174.

89. Hediger F, Neumann FR, Van Houwe G, Dubrana K, Gasser SM: Live Imaging of Telomeres. yKu and Sir Proteins Define Redundant Telomere-Anchoring Pathways in Yeast. *Curr Biol* 2002, 12:2076-2089.
90. Gasser SM: Visualizing chromatin dynamics in interphase nuclei. *Science* 2002, 296:1412-1416.
91. Andrulis ED, Zappulla DC, Ansari A, Perrod S, Laiosa CV, Gartenberg MR, Sternglanz R: Esc1, a nuclear periphery protein required for Sir4-based plasmid anchoring and partitioning. *Mol Cell Biol* 2002, 22:8292-8301.
92. Gerasimova TI, Byrd K, Corces VG: A chromatin insulator determines the nuclear localization of DNA. *Mol Cell* 2000, 6:1025-1035.
93. Marshall WF: Order and disorder in the nucleus. *Curr Biol* 2002, 12:R185-R192.
94. Kosak ST, Skok JA, Medina KL, Riblet R, Le Beau MM, Fisher AG, Singh H: Subnuclear compartmentalization of immunoglobulin loci during lymphocyte development. *Science* 2002, 296:158-162.
95. Bridger JM, Boyle S, Kill IR, Bickmore WA: Re-modelling of nuclear architecture in quiescent and senescent human fibroblasts. *Curr Biol* 2000, 10:149-152.
96. Boyle S, Gilchrist S, Bridger JM, Mahy NL, Ellis JA, Bickmore WA: The spatial organization of human chromosomes within the nuclei of normal and emerlin-mutant cells. *Hum Mol Genet* 2001, 10:211-219.
97. Hutchison N, Weintraub H: Localization of DNAase I-sensitive sequences to specific regions of interphase nuclei. *Cell* 1985, 43:471-482.
98. Chan JK, Park PC, De Boni U: Association of DNAase sensitive chromatin domains with the nuclear periphery in 3T3 cells in vitro. *Biochem Cell Biol* 2000, 78:67-78.
99. Cremer T, Cremer C: Chromosome territories, nuclear architecture and gene regulation in mammalian cells. *Nat Rev Genet* 2001, 2:292-301.
100. Spann TP, Goldman AE, Wang C, Huang S, Goldman RD: Alteration of nuclear lamin organization inhibits RNA polymerase II-dependent transcription. *J Cell Biol* 2002, 156:603-608.
101. Holaska JM, Wilson KL, Mansharamani M: The nuclear envelope, lamins and nuclear assembly. *Curr Opin Cell Biol* 2002, 14:357-364.
102. Dundr M, Misteli T: Functional architecture in the cell nucleus. *Biochem J* 2001, 356:297-310.
103. Alberts B, Bray D, Lewis J, Raff M, Robberts K, Watson JD: *Molecular biology of the cell*, 3rd edn. New York, NY: Garland; 1994.
104. Koberna K, Malinsky J, Pliss A, Masata M, Vecerova J, Fialova M, Bednar J, Raska I: Ribosomal genes in focus: new transcripts label the dense fibrillar components and form clusters indicative of "Christmas trees" in situ. *J Cell Biol* 2002, 157:743-748.
105. Jackson DA, Iborra FJ, Manders EM, Cook PR: Numbers and organization of RNA polymerases, nascent transcripts, and transcription units in HeLa nuclei. *Mol Biol Cell* 1998, 9:1523-1536.
106. Jackson DA, Pombo A, Iborra F: The balance sheet for transcription: an analysis of nuclear RNA metabolism in mammalian cells. *FASEB J* 2000, 14:242-254.
107. Andersen JS, Lyon CE, Fox AH, Leung AK, Lam YW, Steen H, Mann M, Lamond AI: Directed proteomic analysis of the human nucleolus. *Curr Biol* 2002, 12:1-11.
108. Carmo-Fonseca M: The contribution of nuclear compartmentalization to gene regulation. *Cell* 2002, 108:513-521.
109. Dundr M, Hoffmann-Rohrer U, Hu Q, Grummt I, Rothblum LI, Phair RD, Misteli T: A kinetic framework for a mammalian RNA polymerase in vivo. *Science* 2002, 298:1623-1626.
110. Pombo A, Jackson DA, Hollinshead M, Wang Z, Roeder RG, Cook PR: Regional specialization in human nuclei: visualization of discrete sites of transcription by RNA polymerase III. *Embo J* 1999, 18:2241-2253.
111. Wijgerde M, Grosveld F, Fraser P: Transcription complex stability and chromatin dynamics in vivo. *Nature* 1995, 377:209-213.
112. Cook PR: The organization of replication and transcription. *Science* 1999, 284:1790-1795.
113. Jackson DA: The anatomy of transcription sites. *Curr Opin Cell Biol* 2003, 15:311-317.
114. Kimura H, Sugaya K, Cook PR: The transcription cycle of RNA polymerase II in living cells. *J Cell Biol* 2002, 159:777-782.
115. Harrington KS, Javed A, Drissi H, McNeil S, Lian JB, Stein JL, Van Wijnen AJ, Wang YL, Stein GS: Transcription factors RUNX1/AML1 and RUNX2/Cbfa1 dynamically associate with stationary subnuclear domains. *J Cell Sci* 2002, 115:4167-4176.
116. Pederson T: Dynamics and genome-centricity of interchromatin domains in the nucleus. *Nat Cell Biol* 2002, 4:E287-E291.
117. Misteli T, Caceres JF, Spector DL: The dynamics of a pre-mRNA splicing factor in living cells. *Nature* 1997, 387:523-527.
118. Muratani M, Gerlich D, Janicki SM, Gebhard M, Eils R, Spector DL: Metabolic-energy-dependent movement of PML bodies within the mammalian cell nucleus. *Nat Cell Biol* 2002, 4:106-110.
119. Platani M, Goldberg I, Lamond AI, Swedlow JR: Cajal body dynamics and association with chromatin are ATP-dependent. *Nat Cell Biol* 2002, 4:502-508.
120. Fox AH, Lam YW, Leung AK, Lyon CE, Andersen J, Mann M, Lamond AI: Paraspeckles: a novel nuclear domain. *Curr Biol* 2002, 12:13-25.

121. Dillon N, Festenstein R: Unravelling heterochromatin: competition between positive and negative factors regulates accessibility. *Trends Genet* 2002, 18:252-258.
122. Antequera F, Bird A: Number of CpG islands and genes in human and mouse. *Proc Natl Acad Sci U S A* 1993, 90:11995-11999.
123. Cross SH, Clark VH, Simmen MW, Bickmore WA, Maroon H, Langford CF, Carter NP, Bird AP: CpG island libraries from human chromosomes 18 and 22: landmarks for novel genes. *Mamm Genome* 2000, 11:373-383.
124. Tazi J, Bird A: Alternative chromatin structure at CpG islands. *Cell* 1990, 60:909-920.
125. Delgado S, Gomez M, Bird A, Antequera F: Initiation of DNA replication at CpG islands in mammalian chromosomes. *EMBO J* 1998, 17:2426-2435.
126. Richards EJ, Elgin SC: Epigenetic codes for heterochromatin formation and silencing: rounding up the usual suspects. *Cell* 2002, 108:489-500.
127. Reinhart BJ, Bartel DP: Small RNAs correspond to centromere heterochromatic repeats. *Science* 2002, 297:1831.
128. Volpe TA, Kidner C, Hall IM, Teng G, Grewal SI, Martienssen RA: Regulation of heterochromatic silencing and histone H3 lysine-9 methylation by RNAi. *Science* 2002, 297:1833-1837.
129. Hall IM, Shankaranarayana GD, Noma K, Ayoub N, Cohen A, Grewal SI: Establishment and maintenance of a heterochromatin domain. *Science* 2002, 297:2232-2237.
130. Bernard P, Maure JF, Partridge JF, Genier S, Javerzat JP, Allshire RC: Requirement of heterochromatin for cohesion at centromeres. *Science* 2001, 294:2539-2542.
131. Peters AH, O'Carroll D, Scherthan H, Mechtler K, Sauer S, Schofer C, Weipoltshammer K, Pagani M, Lachner M, Kohlmaier A, Opravil S, Doyle M, Sibilia M, Jenuwein T: Loss of the Suv39h histone methyltransferases impairs mammalian heterochromatin and genome stability. *Cell* 2001, 107:323-337.
132. Csink AK, Henikoff S: Genetic modification of heterochromatic association and nuclear organization in *Drosophila*. *Nature* 1996, 381:529-531.
133. Brown KE, Guest SS, Smale ST, Hahm K, Merckenschlager M, Fisher AG: Association of transcriptionally silent genes with Ikaros complexes at centromeric heterochromatin. *Cell* 1997, 91:845-854.
134. Brown KE, Baxter J, Graf D, Merckenschlager M, Fisher AG: Dynamic repositioning of genes in the nucleus of lymphocytes preparing for cell division. *Mol Cell* 1999, 3:207-217.
135. Robinett CC, Straight A, Li G, Wilhelm C, Sudlow G, Murray A, Belmont AS: In vivo localization of DNA sequences and visualization of large-scale chromatin organization using lac operator/repressor recognition. *J Cell Biol* 1996, 135:1685-1700.
136. Heun P, Laroche T, Shimada K, Furrer P, Gasser SM: Chromosome dynamics in the yeast interphase nucleus. *Science* 2001, 294:2181-2186.
137. Chubb JR, Boyle S, Perry P, Bickmore WA: Chromatin motion is constrained by association with nuclear compartments in human cells. *Curr Biol* 2002, 12:439-445.
138. Vazquez J, Belmont AS, Sedat JW: Multiple regimes of constrained chromosome motion are regulated in the interphase *Drosophila* nucleus. *Curr Biol* 2001, 11:1227-1239.
139. Tumber T, Sudlow G, Belmont AS: Large-scale chromatin unfolding and remodeling induced by VP16 acidic activation domain. *J Cell Biol* 1999, 145:1341-1354.
140. Tsukamoto T, Hashiguchi N, Janicki SM, Tumber T, Belmont AS, Spector DL: Visualization of gene activity in living cells. *Nat Cell Biol* 2000, 2:871-878.
141. Memedula S, Belmont AS: Sequential Recruitment of HAT and SWI/SNF Components to Condensed Chromatin by VP16. *Curr Biol* 2003, 13:241-246.
142. Kimura H, Cook PR: Kinetics of core histones in living human cells: little exchange of H3 and H4 and some rapid exchange of H2B. *J Cell Biol* 2001, 153:1341-1353.
143. Misteli T, Gunjan A, Hock R, Bustin M, Brown DT: Dynamic binding of histone H1 to chromatin in living cells. *Nature* 2000, 408:877-881.
144. Cheutin T, McNairn AJ, Jenuwein T, Gilbert DM, Singh PB, Misteli T: Maintenance of stable heterochromatin domains by dynamic HP1 binding. *Science* 2003, 299:721-725.
145. Festenstein R, Pagakis SN, Hiragami K, Lyon D, Verreault A, Sekkali B, Kioussis D: Modulation of heterochromatin protein 1 dynamics in primary Mammalian cells. *Science* 2003, 299:719-721.
146. McNally JG, Muller WG, Walker D, Wolford R, Hager GL: The glucocorticoid receptor: rapid exchange with regulatory sites in living cells. *Science* 2000, 287:1262-1265.
147. Becker M, Baumann C, John S, Walker DA, Vigneron M, McNally JG, Hager GL: Dynamic behavior of transcription factors on a natural promoter in living cells. *EMBO Rep* 2002, 3:1188-1194.
148. Stenoien DL, Patel K, Mancini MG, Dutertre M, Smith CL, O'Malley BW, Mancini MA: FRAP reveals that mobility of oestrogen receptor-alpha is ligand- and proteasome-dependent. *Nat Cell Biol* 2001, 3:15-23.
149. Elbi C, Misteli T, Hager GL: Recruitment of dioxin receptor to active transcription sites. *Mol Biol Cell* 2002, 13:2001-2015.
150. Misteli T: Protein dynamics: implications for nuclear architecture and gene expression. *Science* 2001, 291:843-847.
151. Kamakaka RT: Heterochromatin: proteins in flux lead to stable repression. *Curr Biol* 2003, 13:R317-R319.

152. Misteli T: The concept of self-organization in cellular architecture. *J Cell Biol* 2001, 155:181-185.
153. Weatherall DJ: The Thalassemias. In: *The molecular basis of blood diseases* Edited by Stamatoyannopoulos G, Majerus P, Perlmutter R, Varmus H. pp. 183-225. Philadelphia, PA: W.B. Saunders; 2001: 183-225.
154. Hardison R: Hemoglobins from bacteria to man: evolution of different patterns of gene expression. *J Exp Biol* 1998, 201:1099-1117.
155. Antoniou M, Grosveld F: beta-globin dominant control region interacts differently with distal and proximal promoter elements. *Genes Dev* 1990, 4:1007-1013.
156. Bodine DM, Ley TJ: An enhancer element lies 3' to the human A gamma globin gene. *EMBO J* 1987, 6:2997-3004.
157. Liu Q, Bungert J, Engel JD: Mutation of gene-proximal regulatory elements disrupts human epsilon-, gamma-, and beta-globin expression in yeast artificial chromosome transgenic mice. *Proc Natl Acad Sci U S A* 1997, 94:169-174.
158. Cao SX, Gutman PD, Dave HP, Schechter AN: Identification of a transcriptional silencer in the 5'-flanking region of the human epsilon-globin gene. *Proc Natl Acad Sci U S A* 1989, 86:5306-5309.
159. Ronchi A, Berry M, Raguz S, Imam A, Yannoutsos N, Ottolenghi S, Grosveld F, Dillon N: Role of the duplicated CCAAT box region in gamma-globin gene regulation and hereditary persistence of fetal haemoglobin. *Embo J* 1996, 15:143-149.
160. Hardison R, Slightom JL, Gumucio DL, Goodman M, Stojanovic N, Miller W: Locus control regions of mammalian beta-globin gene clusters: combining phylogenetic analyses and experimental results to gain functional insights. *Gene* 1997, 205:73-94.
161. Bulger M, van Doorninck JH, Saitoh N, Telling A, Farrell C, Bender MA, Felsenfeld G, Axel R, Groudine M, von Doorninck JH: Conservation of sequence and structure flanking the mouse and human beta-globin loci: the beta-globin genes are embedded within an array of odorant receptor genes. *Proc Natl Acad Sci U S A* 1999, 96:5129-5134.
162. Bulger M, Bender MA, van Doorninck JH, Wertman B, Farrell CM, Felsenfeld G, Groudine M, Hardison R: Comparative structural and functional analysis of the olfactory receptor genes flanking the human and mouse beta-globin gene clusters. *Proc Natl Acad Sci U S A* 2000, 97:14560-14565.
163. Tuan D, Solomon W, Li Q, London IM: The "beta-like-globin" gene domain in human erythroid cells. *Proc Natl Acad Sci U S A* 1985, 82:6384-6388.
164. Farrell CM, Grinberg A, Huang SP, Chen D, Pichel JG, Westphal H, Felsenfeld G: A large upstream region is not necessary for gene expression or hypersensitive site formation at the mouse beta-globin locus. *Proc Natl Acad Sci U S A* 2000, 97:14554-14559.
165. Van der Ploeg LH, Konings A, Oort M, Roos D, Bernini L, Flavell RA: gamma-beta-Thalassaemia studies showing that deletion of the gamma- and delta-genes influences beta-globin gene expression in man. *Nature* 1980, 283:637-642.
166. Forrester WC, Thompson C, Elder JT, Groudine M: A developmentally stable chromatin structure in the human beta-globin gene cluster. *Proc Natl Acad Sci U S A* 1986, 83:1359-1363.
167. Moon AM, Ley TJ: Conservation of the primary structure, organization, and function of the human and mouse beta-globin locus-activating regions. *Proc Natl Acad Sci U S A* 1990, 87:7693-7697.
168. Blom van Assendelft G, Hanscombe O, Grosveld F, Greaves DR: The beta-globin dominant control region activates homologous and heterologous promoters in a tissue-specific manner. *Cell* 1989, 56:969-977.
169. Reitman M, Lee E, Westphal H, Felsenfeld G: An enhancer/locus control region is not sufficient to open chromatin. *Mol Cell Biol* 1993, 13:3990-3998.
170. Guy LG, Kothary R, DeRepentigny Y, Delvoye N, Ellis J, Wall L: The beta-globin locus control region enhances transcription of but does not confer position-independent expression onto the lacZ gene in transgenic mice. *EMBO J* 1996, 15:3713-3721.
171. Tewari R, Gillemans N, Harper A, Wijgerde M, Zafarana G, Drabek D, Grosveld F, Philipsen S: The human beta-globin locus control region confers an early embryonic erythroid-specific expression pattern to a basic promoter driving the bacterial lacZ gene. *Development* 1996, 122:3991-3999.
172. Philipsen S, Talbot D, Fraser P, Grosveld F: The beta-globin dominant control region: hypersensitive site 2. *Embo J* 1990, 9:2159-2167.
173. Gillemans N, Tewari R, Lindeboom F, Rottier R, de Wit T, Wijgerde M, Grosveld F, Philipsen S: Altered DNA-binding specificity mutants of EKLF and Sp1 show that EKLF is an activator of the beta-globin locus control region in vivo. *Genes Dev* 1998, 12:2863-2873.
174. Goodwin AJ, McInerney JM, Glander MA, Pomerantz O, Lowrey CH: In vivo formation of a human beta-globin locus control region core element requires binding sites for multiple factors including GATA-1, NF-E2, erythroid Kruppel-like factor, and Sp1. *J Biol Chem* 2001, 276:26883-26892.
175. Talbot D, Philipsen S, Fraser P, Grosveld F: Detailed analysis of the site 3 region of the human beta-globin dominant control region. *Embo J* 1990, 9:2169-2177.
176. Pruzina S, Hanscombe O, Whyatt D, Grosveld F, Philipsen S: Hypersensitive site 4 of the human beta-globin locus control region. *Nucleic Acids Res* 1991, 19:1413-1419.

177. Fraser P, Pruzina S, Antoniou M, Grosveld F: Each hypersensitive site of the human beta-globin locus control region confers a different developmental pattern of expression on the globin genes. *Genes Dev* 1993, 7:106-113.
178. Tuan DY, Solomon WB, London IM, Lee DP: An erythroid-specific, developmental-stage-independent enhancer far upstream of the human "beta-like globin" genes. *Proc Natl Acad Sci U S A* 1989, 86:2554-2558.
179. Ney PA, Sorrentino BP, McDonagh KT, Nienhuis AW: Tandem AP-1-binding sites within the human beta-globin dominant control region function as an inducible enhancer in erythroid cells. *Genes Dev* 1990, 4:993-1006.
180. Ellis J, Tan-Un KC, Harper A, Michalovich D, Yannoutsos N, Philipson S, Grosveld F: A dominant chromatin-opening activity in 5' hypersensitive site 3 of the human beta-globin locus control region. *Embo J* 1996, 15:562-568.
181. Wijgerde M, Gribnau J, Trimborn T, Nuez B, Philipson S, Grosveld F, Fraser P: The role of EKLF in human beta-globin gene competition. *Genes Dev* 1996, 10:2894-2902.
182. Bungert J, Dave U, Lim KC, Lieu KH, Shavit JA, Liu Q, Engel JD: Synergistic regulation of human beta-globin gene switching by locus control region elements HS3 and HS4. *Genes Dev* 1995, 9:3083-3096.
183. Li Q, Stamatoyannopoulos JA: Position independence and proper developmental control of gamma-globin gene expression require both a 5' locus control region and a downstream sequence element. *Mol Cell Biol* 1994, 14:6087-6096.
184. Farrell CM, West AG, Felsenfeld G: Conserved CTCF insulator elements flank the mouse and human beta-globin loci. *Mol Cell Biol* 2002, 22:3820-3831.
185. Bender MA, Roach JN, Halow J, Close J, Alami R, Bouhassira EE, Groudine M, Fiering SN: Targeted deletion of 5'HS1 and 5'HS4 of the beta-globin locus control region reveals additive activity of the DNaseI hypersensitive sites. *Blood* 2001, 98:2022-2027.
186. Fiering S, Epner E, Robinson K, Zhuang Y, Telling A, Hu M, Martin DI, Enver T, Ley TJ, Groudine M: Targeted deletion of 5'HS2 of the murine beta-globin LCR reveals that it is not essential for proper regulation of the beta-globin locus. *Genes Dev* 1995, 9:2203-2213.
187. Hug BA, Wesselschmidt RL, Fiering S, Bender MA, Epner E, Groudine M, Ley TJ: Analysis of mice containing a targeted deletion of beta-globin locus control region 5' hypersensitive site 3. *Mol Cell Biol* 1996, 16:2906-2912.
188. Bender MA, Reik A, Close J, Telling A, Epner E, Fiering S, Hardison R, Groudine M: Description and targeted deletion of 5' hypersensitive site 5 and 6 of the mouse beta-globin locus control region. *Blood* 1998, 92:4394-4403.
189. Bender MA, Mehaffey MG, Telling A, Hug B, Ley TJ, Groudine M, Fiering S: Independent formation of DNaseI hypersensitive sites in the murine beta-globin locus control region. *Blood* 2000, 95:3600-3604.
190. Tolhuis B, Palstra RJ, Splinter E, Grosveld F, de Laat W: Looping and Interaction between Hypersensitive Sites in the Active beta-globin Locus. *Mol Cell* 2002, 10:1453-1465.
191. Palstra R-J, Tolhuis B., Splinter E., Nijmeijer R., Grosveld, F., and de Laat, W.: Structural dynamics of a nuclear compartment of *cis*-regulatory DNA elements and beta-globin genes during erythroid differentiation and development. submitted.
192. Forrester WC, Epner E, Driscoll MC, Enver T, Brice M, Papayannopoulou T, Groudine M: A deletion of the human beta-globin locus activation region causes a major alteration in chromatin structure and replication across the entire beta-globin locus. *Genes Dev* 1990, 4:1637-1649.
193. Bottardi S, Aumont A, Grosveld F, Milot E: Developmental stage-specific epigenetic control of human beta globin gene expression is set in hematopoietic progenitor cells prior to their transcriptional activation. *Blood* 2003, in press.
194. van der Ploeg LH, Flavell RA: DNA methylation in the human gamma delta beta-globin locus in erythroid and nonerythroid tissues. *Cell* 1980, 19:947-958.
195. Forsberg EC, Downs KM, Christensen HM, Im H, Nuzzi PA, Bresnick EH: Developmentally dynamic histone acetylation pattern of a tissue-specific chromatin domain. *Proc Natl Acad Sci U S A* 2000, 97:14494-14499.
196. Hu M, Krause D, Greaves M, Sharkis S, Dexter M, Heyworth C, Enver T: Multilineage gene expression precedes commitment in the hemopoietic system. *Genes Dev* 1997, 11:774-785.
197. Delassus S, Tittley I, Enver T: Functional and molecular analysis of hematopoietic progenitors derived from the aorta-gonad-mesonephros region of the mouse embryo. *Blood* 1999, 94:1495-1503.
198. Schubeler D, Francastel C, Cimborra DM, Reik A, Martin DI, Groudine M: Nuclear localization and histone acetylation: a pathway for chromatin opening and transcriptional activation of the human beta-globin locus. *Genes Dev* 2000, 14:940-950.
199. Strouboulis J, Dillon N, Grosveld F: Developmental regulation of a complete 70-kb human beta-globin locus in transgenic mice. *Genes Dev* 1992, 6:1857-1864.
200. Ling KW, Dzierzak E: Ontogeny and genetics of the hemato/lymphopoietic system. *Curr Opin Immunol* 2002, 14:186-191.

201. Hanscombe O, Vidal M, Kaeda J, Luzzatto L, Greaves DR, Grosveld F: High-level, erythroid-specific expression of the human alpha-globin gene in transgenic mice and the production of human hemoglobin in murine erythrocytes. *Genes Dev* 1989, 3:1572-1581.
202. Peterson KR, Stamatoyannopoulos G: Role of gene order in developmental control of human gamma- and beta-globin gene expression. *Mol Cell Biol* 1993, 13:4836-4843.
203. Chada K, Magram J, Costantini F: An embryonic pattern of expression of a human fetal globin gene in transgenic mice. *Nature* 1986, 319:685-689.
204. Raich N, Enver T, Nakamoto B, Josephson B, Papayannopoulou T, Stamatoyannopoulos G: Autonomous developmental control of human embryonic globin gene switching in transgenic mice. *Science* 1990, 250:1147-1149.
205. Dillon N, Grosveld F: Human gamma-globin genes silenced independently of other genes in the beta-globin locus. *Nature* 1991, 350:252-254.
206. Raich N, Papayannopoulou T, Stamatoyannopoulos G, Enver T: Demonstration of a human epsilon-globin gene silencer with studies in transgenic mice. *Blood* 1992, 79:861-864.
207. Shih DM, Wall RJ, Shapiro SG: A 5' control region of the human epsilon-globin gene is sufficient for embryonic specificity in transgenic mice. *J Biol Chem* 1993, 268:3066-3071.
208. Tanimoto K, Liu Q, Grosveld F, Bungert J, Engel JD: Context-dependent EKLF responsiveness defines the developmental specificity of the human epsilon-globin gene in erythroid cells of YAC transgenic mice. *Genes Dev* 2000, 14:2778-2794.
209. Tanabe O, Katsuoka F, Campbell AD, Song W, Yamamoto M, Tanimoto K, Engel JD: An embryonic/fetal beta-type globin gene repressor contains a nuclear receptor TR2/TR4 heterodimer. *Embo J* 2002, 21:3434-3442.
210. Giglioni B, Casini C, Mantovani R, Merli S, Comi P, Ottolenghi S, Saglio G, Camaschella C, Mazza U: A molecular study of a family with Greek hereditary persistence of fetal hemoglobin and beta-thalassemia. *EMBO J* 1984, 3:2641-2645.
211. de Villiers J, Schaffner W: A small segment of polyoma virus DNA enhances the expression of a cloned beta-globin gene over a distance of 1400 base pairs. *Nucleic Acids Res* 1981, 9:6251-6264.
212. Enver T, Raich N, Ebens AJ, Papayannopoulou T, Costantini F, Stamatoyannopoulos G: Developmental regulation of human fetal-to-adult globin gene switching in transgenic mice. *Nature* 1990, 344:309-313.
213. Hanscombe O, Whyatt D, Fraser P, Yannoutsos N, Greaves D, Dillon N, Grosveld F: Importance of globin gene order for correct developmental expression. *Genes Dev* 1991, 5:1387-1394.
214. Dillon N, Trimborn T, Strouboulis J, Fraser P, Grosveld F: The effect of distance on long-range chromatin interactions. *Mol Cell* 1997, 1:131-139.
215. Tanimoto K, Liu Q, Bungert J, Engel JD: Effects of altered gene order or orientation of the locus control region on human beta-globin gene expression in mice. *Nature* 1999, 398:344-348.
216. Gribnau J, de Boer E, Trimborn T, Wijgerde M, Milot E, Grosveld F, Fraser P: Chromatin interaction mechanism of transcriptional control in vivo. *Embo J* 1998, 17:6020-6027.
217. Trimborn T, Gribnau J, Grosveld F, Fraser P: Mechanisms of developmental control of transcription in the murine alpha- and beta-globin loci. *Genes Dev* 1999, 13:112-124.
218. Carter D, Chakalova L, Osborne CS, Dai YF, Fraser P: Long-range chromatin regulatory interactions in vivo. *Nat Genet* 2002, 32:623-626.
219. Ptashne M: Gene regulation by proteins acting nearby and at a distance. *Nature* 1986, 322:697-701.
220. Grosveld F: Activation by locus control regions? *Curr Opin Genet Dev* 1999, 9:152-157.
221. de Krom M, van de Corput M, von Lindern M, Grosveld F, Strouboulis J: Stochastic patterns in globin gene expression are established prior to transcriptional activation and are clonally inherited. *Mol Cell* 2002, 9:1319-1326.
222. Becker PB: Nucleosome sliding: facts and fiction. *EMBO J* 2002, 21:4749-4753.
223. Tuan D, Kong S, Hu K: Transcription of the hypersensitive site HS2 enhancer in erythroid cells. *Proc Natl Acad Sci U S A* 1992, 89:11219-11223.
224. Herendeen DR, Kassavetis GA, Geiduschek EP: A transcriptional enhancer whose function imposes a requirement that proteins track along DNA. *Science* 1992, 256:1298-1303.
225. Dorsett D: Distant liaisons: long-range enhancer-promoter interactions in Drosophila. *Curr Opin Genet Dev* 1999, 9:505-514.
226. Bulger M, Groudine M: Looping versus linking: toward a model for long-distance gene activation. *Genes Dev* 1999, 13:2465-2477.
227. Bulger M, Groudine M: TRAPping enhancer function. *Nat Genet* 2002, 32:555-556.
228. Rippe K: Making contacts on a nucleic acid polymer. *Trends Biochem Sci* 2001, 26:733-740.
229. Dekker J, Rippe K, Dekker M, Kleckner N: Capturing chromosome conformation. *Science* 2002, 295:1306-1311.
230. Splinter E, Grosveld, F., and de Laat, W.: 3C technology: analyzing the spatial organisation of genomic loci in vivo. submitted.
231. Talbot D, Collis P, Antoniou M, Vidal M, Grosveld F, Greaves DR: A dominant control region from the human beta-globin locus conferring integration site-independent gene expression. *Nature* 1989, 338:352-355.



232. Imam AM, Patrinos GP, de Krom M, Bottardi S, Janssens RJ, Katsantoni E, Wai AW, Sherratt DJ, Grosveld FG: Modification of human beta-globin locus PAC clones by homologous recombination in *Escherichia coli*. *Nucleic Acids Res* 2000, 28:E65.
233. de Krom M: *Activation, regulation and transcription of the human and murine globin loci*. Rotterdam: Erasmus MC; 2002.
234. Scrable H, Stambrook PJ: Activation of the lac repressor in the transgenic mouse. *Genetics* 1997, 147:297-304.
235. Wyborski DL, DuCoeur LC, Short JM: Parameters affecting the use of the lac repressor system in eukaryotic cells and transgenic animals. *Environ Mol Mutagen* 1996, 28:447-458.
236. Cronin CA, Gluba W, Scrable H: The lac operator-repressor system is functional in the mouse. *Genes Dev* 2001, 15:1506-1517.
237. Lewandoski M: Conditional control of gene expression in the mouse. *Nat Rev Genet* 2001, 2:743-755.
238. von Lindern M, Parren-van Amelsvoort M, van Dijk T, Deiner E, van den Akker E, van Ernst-de Vries S, Willems P, Beug H, Lowenberg B: Protein kinase C alpha controls erythropoietin receptor signaling. *J Biol Chem* 2000, 275:34719-34727.
239. von Lindern M, Zauner W, Mellitzer G, Steinlein P, Fritsch G, Huber K, Lowenberg B, Beug H: The glucocorticoid receptor cooperates with the erythropoietin receptor and c-Kit to enhance and sustain proliferation of erythroid progenitors in vitro. *Blood* 1999, 94:550-559.
240. Pear WS, Nolan GP, Scott ML, Baltimore D: Production of high-titer helper-free retroviruses by transient transfection. *Proc Natl Acad Sci U S A* 1993, 90:8392-8396.
241. Whitaker M: Fluorescent tags of protein function in living cells. *Bioessays* 2000, 22:180-187.
242. Day RN, Periasamy A, Schaufele F: Fluorescence resonance energy transfer microscopy of localized protein interactions in the living cell nucleus. *Methods* 2001, 25:4-18.
243. Gossen M, Bujard H: Tight control of gene expression in mammalian cells by tetracycline-responsive promoters. *Proc Natl Acad Sci U S A* 1992, 89:5547-5551.
244. Antoniou M: Introduction of erythroid-specific expression in murine erythroidleukemia (MEL) cell lines. In: *Methods in Molecular Biology* Edited by Murray EJ, vol. 7. Clifton, NJ: The Humana Press Inc; 1991.
245. Dillon N, Grosveld F: Transcriptional regulation of multigene loci: multilevel control. *Trends Genet* 1993, 9:134-137.
246. Fraser P, Hurst J, Collis P, Grosveld F: DNaseI hypersensitive sites 1, 2 and 3 of the human beta-globin dominant control region direct position-independent expression. *Nucleic Acids Res* 1990, 18:3503-3508.
247. Wall L, deBoer E, Grosveld F: The human beta-globin gene 3' enhancer contains multiple binding sites for an erythroid-specific protein. *Genes Dev* 1988, 2:1089-1100.
248. Wasylyk B, Wasylyk C, Augereau P, Chambon P: The SV40 72 bp repeat preferentially potentiates transcription starting from proximal natural or substitute promoter elements. *Cell* 1983, 32:503-514.
249. Banerji J, Rusconi S, Schaffner W: Expression of a beta-globin gene is enhanced by remote SV40 DNA sequences. *Cell* 1981, 27:299-308.
250. Gerasimova TI, Corces VG: Chromatin insulators and boundaries: effects on transcription and nuclear organization. *Annu Rev Genet* 2001, 35:193-208.
251. Muller HP, Schaffner W: Transcriptional enhancers can act in trans. *Trends Genet* 1990, 6:300-304.
252. Bickel S, Pirrotta V: Self-association of the *Drosophila* zeste protein is responsible for transvection effects. *EMBO J* 1990, 9:2959-2967.
253. Mueller-Storm HP, Sogo JM, Schaffner W: An enhancer stimulates transcription in trans when attached to the promoter via a protein bridge. *Cell* 1989, 58:767-777.
254. Dunaway M, Droge P: Transactivation of the *Xenopus* rRNA gene promoter by its enhancer. *Nature* 1989, 341:657-659.
255. Mahmoudi T, Katsani KR, Verrijzer CP: GAGA can mediate enhancer function in trans by linking two separate DNA molecules. *EMBO J* 2002, 21:1775-1781.
256. Heuchel R, Matthias P, Schaffner W: Two closely spaced promoters are equally activated by a remote enhancer: evidence against a scanning model for enhancer action. *Nucleic Acids Res* 1989, 17:8931-8947.
257. de Bruin D, Zaman Z, Liberatore RA, Ptashne M: Telomere looping permits gene activation by a downstream UAS in yeast. *Nature* 2001, 409:109-113.
258. Lundgren M, Chow CM, Sabbattini P, Georgiou A, Minaae S, Dillon N: Transcription factor dosage affects changes in higher order chromatin structure associated with activation of a heterochromatic gene. *Cell* 2000, 103:733-743.
259. Locke J, Kotarski MA, Tartof KD: Dosage-dependent modifiers of position effect variegation in *Drosophila* and a mass action model that explains their effect. *Genetics* 1988, 120:181-198.
260. Burgess-Beusse B, Farrell C, Gaszner M, Litt M, Mutskov V, Recillas-Targa F, Simpson M, West A, Felsenfeld G: The insulation of genes from external enhancers and silencing chromatin. *Proc Natl Acad Sci U S A* 2002, 99 Suppl 4:16433-16437.
261. Bulger M, Sawado T, Schubeler D, Groudine M: ChIPs of the beta-globin locus: unraveling gene regulation within an active domain. *Curr Opin Genet Dev* 2002, 12:170-177.

262. Cremer T, Kreth G, Koester H, Fink RH, Heintzmann R, Cremer M, Solovei I, Zink D, Cremer C: Chromosome territories, interchromatin domain compartment, and nuclear matrix: an integrated view of the functional nuclear architecture. *Crit Rev Eukaryot Gene Expr* 2000, 10:179-212.
263. Sabbattini P, Georgiou A, Sinclair C, Dillon N: Analysis of mice with single and multiple copies of transgenes reveals a novel arrangement for the lambda5-VpreB1 locus control region. *Mol Cell Biol* 1999, 19:671-679.
264. Groudine M, Weintraub H: Propagation of globin DNAase I-hypersensitive sites in absence of factors required for induction: a possible mechanism for determination. *Cell* 1982, 30:131-139.
265. Morcillo P, Rosen C, Baylies MK, Dorsett D: Chip, a widely expressed chromosomal protein required for segmentation and activity of a remote wing margin enhancer in *Drosophila*. *Genes Dev* 1997, 11:2729-2740.
266. Rollins RA, Morcillo P, Dorsett D: Nipped-B, a *Drosophila* homologue of chromosomal adherins, participates in activation by remote enhancers in the cut and Ultrabithorax genes. *Genetics* 1999, 152:577-593.
267. Zhou J, Ashe H, Burks C, Levine M: Characterization of the transvection mediating region of the abdominal-B locus in *Drosophila*. *Development* 1999, 126:3057-3065.
268. Zhou J, Levine M: A novel cis-regulatory element, the PTS, mediates an anti-insulator activity in the *Drosophila* embryo. *Cell* 1999, 99:567-575.
269. Sipos L, Mihaly J, Karch F, Schedl P, Gausz J, Gyurkovics H: Transvection in the *Drosophila* Abd-B domain: extensive upstream sequences are involved in anchoring distant cis-regulatory regions to the promoter. *Genetics* 1998, 149:1031-1050.
270. Calzolari R, McMorrow T, Yannoutsos N, Langeveld A, Grosveld F: Deletion of a region that is a candidate for the difference between the deletion forms of hereditary persistence of fetal hemoglobin and deltabeta-thalassemia affects beta- but not gamma-globin gene expression. *Embo J* 1999, 18:949-958.
271. Kmita M, Kondo T, Duboule D: Targeted inversion of a polar silencer within the HoxD complex re-allocates domains of enhancer sharing. *Nat Genet* 2000, 26:451-454.
272. Isogai Y, Tjian R: Targeting genes and transcription factors to segregated nuclear compartments. *Curr Opin Cell Biol* 2003, 15:296-303.
273. Chubb JR, Bickmore WA: Considering nuclear compartmentalization in the light of nuclear dynamics. *Cell* 2003, 112:403-406.
274. Hardison R, Miller W: Use of long sequence alignments to study the evolution and regulation of mammalian globin gene clusters. *Mol Biol Evol* 1993, 10:73-102.
275. Jackson DA, Hassan AB, Errington RJ, Cook PR: Visualization of focal sites of transcription within human nuclei. *Embo J* 1993, 12:1059-1065.
276. Donze D, Townes TM, Bieker JJ: Role of erythroid Kruppel-like factor in human gamma- to beta-globin gene switching. *J Biol Chem* 1995, 270:1955-1959.
277. Ben-David Y, Bani MR, Chabot B, De Koven A, Bernstein A: Retroviral insertions downstream of the heterogeneous nuclear ribonucleoprotein A1 gene in erythroleukemia cells: evidence that A1 is not essential for cell growth. *Mol Cell Biol* 1992, 12:4449-4455.
278. Lu SJ, Rowan S, Bani MR, Ben-David Y: Retroviral integration within the Fli-2 locus results in inactivation of the erythroid transcription factor NF-E2 in Friend erythroleukemias: evidence that NF-E2 is essential for globin expression. *Proc Natl Acad Sci U S A* 1994, 91:8398-8402.
279. Dolznig H, Boulme F, Stangl K, Deiner EM, Mikulits W, Beug H, Mullner EW: Establishment of normal, terminally differentiating mouse erythroid progenitors: molecular characterization by cDNA arrays. *FASEB J* 2001, 15:1442-1444.
280. von Lindern M, Deiner EM, Dolznig H, Parren-Van Amelsvoort M, Hayman MJ, Mullner EW, Beug H: Leukemic transformation of normal murine erythroid progenitors: v- and c-ErbB act through signaling pathways activated by the EpoR and c-Kit in stress erythropoiesis. *Oncogene* 2001, 20:3651-3664.
281. Aihara T, Yasuo M, Kumiko, K. S, Y., , Imaoka S, Monden M, Nakamura Y: Genes preferentially expressed in precancerous lesion of HCC. (*unpublished*) 1998.
282. Wadman IA, Osada H, Grutz GG, Agulnick AD, Westphal H, Forster A, Rabbitts TH: The LIM-only protein Lmo2 is a bridging molecule assembling an erythroid, DNA-binding complex which includes the TAL1, E47, GATA-1 and Ldb1/NLI proteins. *EMBO J* 1997, 16:3145-3157.
283. Lecuyer E, Herblot S, Saint-Denis M, Martin R, Begley CG, Porcher C, Orkin SH, Hoang T: The SCL complex regulates c-kit expression in hematopoietic cells through functional interaction with Sp1. *Blood* 2002, 100:2430-2440.
284. McMorrow T, van den Wijngaard A, Wollenschlaeger A, van de Corput M, Monkhorst K, Trimborn T, Fraser P, van Lohuizen M, Jenuwein T, Djabali M, Philipsen S, Grosveld F, Milot E: Activation of the beta globin locus by transcription factors and chromatin modifiers. *Embo J* 2000, 19:4986-4996.
285. Philipsen S, Pruzina S, Grosveld F: The minimal requirements for activity in transgenic mice of hypersensitive site 3 of the beta globin locus control region. *Embo J* 1993, 12:1077-1085.
286. Bi X, Broach JR: Chromosomal boundaries in *S. cerevisiae*. *Curr Opin Genet Dev* 2001, 11:199-204.

287. Vyas P, Vickers MA, Simmons DL, Ayyub H, Craddock CF, Higgs DR: Cis-acting sequences regulating expression of the human alpha-globin cluster lie within constitutively open chromatin. *Cell* 1992, 69:781-793.
288. Luger K, Mader AW, Richmond RK, Sargent DF, Richmond TJ: Crystal structure of the nucleosome core particle at 2.8 Å resolution. *Nature* 1997, 389:251-260.
289. Horn PJ, Peterson CL: Molecular biology. Chromatin higher order folding--wrapping up transcription. *Science* 2002, 297:1824-1827.
290. Aboussekhra A, Biggerstaff M, Shivji MKK, Vilpo JA, Moncollin V, Podust VN, Protic M, Hubscher U, Egly J-M, Eood RD: Mammalian DNA nucleotide excision repair reconstituted with purified components. *Cell* 1995, 80:859-868.
291. Evans E, Fellows J, Coffey A, Wood R: Open complex formation around a lesion during nucleotide excision repair factors. *EMBO J* 1997, 16:625-638.
292. Evans E, Moggs J, Hwang J, Egly J, Wood R: Mechanism of open complex and dual incision formation by human nucleotide excision repair factors. *EMBO J* 1997, 16:6559-6573.